

Current Location: Choosing a vehicle > ARCFOX >

Note: The following parameter and configuration information are for reference only.

Arcfox Alpha T5 > Parameter configuration

Actual specifications are subject to the vehicles sold in the store

Year mark ☒ All are for sale ☐ 2026 model | Discontinued ▾

Types of energy ☐ Pure electric ☐ Extended-range range

Drive type ☐ Vanguard ☐ Rear Guard

Basic parameters

Manufacturer	BAIC New Energy	BAIC New Energy	BAIC New Energy
Level	Mid-size SUV	Mid-size SUV	Mid-size SUV
Types of energy	Extended-range range	Pure electric	Pure electric
Environmental standards	Country VI	-	-
Launch date	2025-10-28	2025-10-28	2025-10-28
WLTC pure electric range (km)	163	-	-
CLTC pure electric driving range (km)	215	705	560
Battery fast charging time (hours)	0.25	0.28	0.25
Battery slow charging time (hours)	4	12.9	11.3
Battery fast charging capacity range (%)	30-80	30-80	30-80
Battery slow charging capacity range (%)	-	0-100	0-100
Maximum Power (kW)	200	200	185
Maximum torque (N·m)	365	360	320
Transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission
Body structure	A 5-door, 5-seat SUV	A 5-door, 5-seat SUV	A 5-door, 5-seat SUV
Engine	Range extender: 105 horsepower	-	-
Electric Motor (Ps)	272	272	252
Length * Width * Height (mm)	4760*1936*1650	4760 *1936 *1650	4760 *1936 *1650



<u>Official 0-100 km/h acceleration (s)</u>	6.5	7.5	7.5
<u>Official 0-50km/h acceleration (s)</u>	-	3.5	3.5
<u>Top speed (km/h)</u>	180	180	180
<u>WLTC combined fuel consumption (L/100km)</u>	0.57	-	-
<u>Minimum fuel consumption in a charged state (L/100km) WLTC</u>	5.18	-	-
<u>Fuel consumption equivalent to electricity (L/100km)</u>	1.92	1.52	1.57
<u>Full vehicle warranty</u>	-	-	-
<u>First owner warranty policy</u>	○ Five years or 120,000 kilometers	○ Five years or 120,000 kilometers	○ Five years or 120,000 kilometers
<u>Curb Weight (kg)</u>	1970	1975	1955
<u>Maximum full load (kg)</u>	2420	2425	2405

Body

<u>Length (mm)</u>	4760	4760	4760
<u>Width (mm)</u>	1936	1936	1936
<u>Height (mm)</u>	1650	1650	1650
<u>Wheelbase (mm)</u>	2845	2845	2845
<u>Front track width (mm)</u>	1640	1640	1640
<u>Rear track (mm)</u>	1640	1640	1640
<u>Angle of approach (°)</u>	17	17	17
<u>Departure angle (°)</u>	21	21	21
<u>Body structure</u>	SUV	SUV	SUV
<u>Door opening method</u>	The door opened flat	The door opened flat	The door opened flat
<u>Number of Doors</u>	○ 5	○ 5	○ 5
<u>Number of seats</u>	○ 5	○ 5	○ 5
<u>Fuel tank capacity (L)</u>	47	-	-
<u>Trunk Volume (L)</u>	400-1546	400-1546	400-1546
<u>Drag coefficient (Cd)</u>	0.268	0.243	0.243

Engine

<u>Engine model</u>	A156A1	-	-
<u>Displacement (mL)</u>	1498	-	-
<u>Displacement (L)</u>	1.5	-	-
<u>Intake type</u>	Naturally inhale	-	-
<u>Engine layout</u>	Placed horizontally	-	-
<u>Cylinder arrangement type</u>	L	-	-
	4	-	-



<u>Number of cylinders (units)</u>			
<u>Number of valves per cylinder (units)</u>	4	-	-
<u>Compression ratio</u>	14:1	-	-
<u>Valve mechanism</u>	DOHC	-	-
<u>Maximum horsepower (Ps)</u>	105	-	-
<u>Maximum Power (kW)</u>	77	-	-
<u>Maximum Power Speed (rpm)</u>	6000	-	-
<u>Maximum torque (N·m)</u>	132	-	-
<u>Maximum torque speed (rpm)</u>	4500	-	-
<u>Maximum Net Power (kW)</u>	71	-	-
<u>Types of energy</u>	Extended-range range	Pure electric	Pure electric
<u>Fuel grade</u>	No. 92	-	-
<u>Fuel supply method</u>	Multi-point electronic spraying	-	-
<u>Cylinder head materials</u>	Aluminum alloy	-	-
<u>Cylinder body materials</u>	Aluminum alloy	-	-
<u>Environmental standards</u>	Country VI	-	-

Electric motors

<u>Former electric motor brand</u>	-	Beijing New Energy Vehicles	Beijing New Energy Vehicles
<u>Rear motor brand</u>	Beijing New Energy Vehicles	-	-
<u>Front motor model</u>	-	TZ220XS646	TZ220XS460
<u>Rear motor model</u>	TZ220XS504	-	-
<u>Motor type</u>	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
<u>Total motor power (kW)</u>	200	200	185
<u>Total motor power (Ps)</u>	272	272	252
<u>Total motor torque (N·m)</u>	365	360	320
<u>Front motor maximum power (kW)</u>	-	200	185
<u>Front Motor Maximum Torque (N·m)</u>	-	360	320
<u>Rear motor maximum power (kW)</u>	200	-	-
<u>Maximum torque of the rear motor (N·m)</u>	365	-	-



<u>Number of drive motors</u>	Single motor	Single motor	Single motor
<u>Motor layout</u>	Placed backward	Pre-position	Pre-position
<u>Warranty on the three electrical systems</u>	Lifetime warranty / non-operational ○ (liability waiver clauses subject to official regulations)	Lifetime warranty / non-operational ○ (liability waiver clauses subject to official regulations)	Lifetime warranty / non-operational ○ (liability waiver clauses subject to official regulations)

Battery/Charging

<u>Battery type</u>	○ Lithium iron phosphate batteries	○ ternary lithium batteries	○ Lithium iron phosphate batteries
<u>Battery cell brand</u>	○ CATL	○ CATL	○ CATL
<u>Battery-specific technology</u>	Aurora Cell	Aurora Cell	Aurora Cell
<u>Battery cooling method</u>	-	Liquid cooling	Liquid cooling
<u>WLTC pure electric range (km)</u>	163	-	-
<u>CLTC pure electric driving range (km)</u>	215	705	560
<u>WLTC Combined Range (km)</u>	1070	-	-
<u>CLTC Combined Range (km)</u>	1215	-	-
<u>Battery Energy (kWh)</u>	27.4	79.2	64.8
<u>Battery Energy Density (Wh/kg)</u>	137.7	182	136
<u>Power consumption per 100 km (kWh/100km)</u>	16.5	13.1	13.5
<u>Fast charging function</u>	Support	Support	Support
<u>Fast Charging Power (kW)</u>	-	230	215
<u>High-voltage fast charging</u>	-	Support	-
<u>High-voltage platform (V)</u>	-	800	-
<u>Battery fast charging time (hours)</u>	0.25	0.28	0.25
<u>Battery fast charging capacity range (%)</u>	30-80	30-80	30-80
<u>Battery slow charging time (hours)</u>	4	12.9	11.3
<u>Battery slow charging capacity range (%)</u>	-	0-100	0-100
<u>Slow charging port location</u>	Left rear side of the vehicle	Left rear side of the vehicle	Left rear side of the vehicle
<u>Fast charging port location</u>	Left rear side of the vehicle	Left rear side of the vehicle	Left rear side of the vehicle
<u>External AC Discharge Power (kW)</u>	-	3.3	3.3



Minimum allowable value for external discharge (%)	-	10	10
--	---	----	----

Transmission

<u>Abbreviation</u>	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission
<u>Number of gears</u>	1	1	1
<u>Transmission type</u>	Fixed gear ratio transmission	Fixed gear ratio transmission	Fixed gear ratio transmission

Chassis steering

<u>Drive method</u>	☐ Rear rear drive positioned	☐ with the vanguard positioned ahead	☐ with the vanguard positioned ahead
<u>Front suspension type</u>	MacPherson ☐ independent suspension	MacPherson ☐ independent suspension	MacPherson ☐ independent suspension
<u>Rear suspension type</u>	Multi-link ☐ independent suspension	Multi-link ☐ independent suspension	Multi-link ☐ independent suspension
<u>Types of assists</u>	☐ Electric power assist	☐ Electric power assist	☐ Electric power assist
<u>Body structure</u>	Load-bearing type	Load-bearing type	Load-bearing type

Wheel brakes

<u>Front brake type</u>	☐ Ventilated disc type	☐ Ventilated disc type	☐ Ventilated disc type
<u>Rear brake type</u>	☐ Ventilated disc type	☐ Ventilated disc type	☐ Ventilated disc type
<u>Types of parking brakes</u>	☐ Electronic parking lot	☐ Electronic parking lot	☐ Electronic parking lot
<u>Front tire specifications</u>	☐ 235/50 R19	☐ 235/50 R19	☐ 235/50 R19
<u>Rear tire specifications</u>	☐ 235/50 R19	☐ 235/50 R19	☐ 235/50 R19
<u>Spare tire specifications</u>	-	-	-

Passive ☐ No standard or optional ☐

<u>Driver/passenger airbags</u>	Principal/Deputy ☐ ☐	Principal/Deputy ☐ ☐	Principal/Deputy ☐ ☐
<u>Front/rear side airbags</u>	Before / After - ☐	Before / After - ☐	Before / After - ☐
<u>Front/Rear Head Airbags (Curtain Airbags)</u>	Before/after ☐ ☐	Before/after ☐ ☐	Before/after ☐ ☐

Proactive ☐ No standard or optional ☐

<u>ABS anti-lock lock</u>	☐	☐	☐
<u>Braking force distribution (EBD/CBC, etc.)</u>	☐	☐	☐
<u>Brake Assist (EBA/BAS/BA, etc.)</u>	☐	☐	☐
<u>Traction control (ASR/TCS/TRC, etc.)</u>	☐	☐	☐
<u>Stability control (ESC/ESP/DSC, etc.)</u>	☐	☐	☐
<u>Tire pressure monitoring function</u>	☐ Tire pressure display	☐ Tire pressure display	☐ Tire pressure display



<u>Seat belt not fastened as a reminder</u>	☐ Front row	☐ Front row	☐ Front row
<u>ISOFIX child seat interface</u>	☐	☐	☐
<u>Lane departure warning system</u>	-	☐	☐
<u>Active braking/active safety system</u>	-	☐	☐
<u>Driver fatigue reminder</u>	-	-	-
<u>DOW door opening warning</u>	-	☐	☐
<u>Forward collision warning</u>	-	☐	☐
<u>Rear collision warning</u>	-	☐	☐
<u>Sentinel Mode / Clairvoyance</u>	-	☐	☐
<u>Low-speed driving warning</u>	☐	☐	☐
<u>Built-in dashcam</u>	-	☐	☐
<u>Roadside assistance calls</u>	☐	☐	☐

Driving

No standard or optional

<u>Driving mode switching</u>	☐ Exercise ☐ Economy ☐ Standard/Comfortable ☐ Snowfield ☐ Customize/personalize	☐ Exercise ☐ Economy ☐ Standard/Comfortable ☐ Snowfield ☐ Customize/personalize	☐ Exercise ☐ Economy ☐ Standard/Comfortable ☐ Snowfield ☐ Customize/personalize
<u>Single-pedal mode</u>	☐	☐	☐
<u>Energy recovery system</u>	☐	☐	☐
<u>Automatic parking</u>	☐	☐	☐
<u>Uphill assist</u>	☐	☐	☐
<u>Steep slopes descend gently</u>	☐	☐	☐

Driving

No standard or optional

<u>Front and rear parking sensors</u>	Before/after ☐ ☐	Before/after ☐ ☐	Before/after ☐ ☐
<u>Driver assistance cameras</u>	☐ 360-degree panoramic imaging ☐ Side blind spot camera	☐ 360-degree panoramic imaging ☐ Side blind spot camera	☐ 360-degree panoramic imaging ☐ Side blind spot camera
<u>Transparent chassis / 540-degree imaging</u>	☐	☐	☐
<u>Driver assistance chip</u>	-	☐ Qualcomm Snapdragon 8775	-
<u>Forward perception camera</u>	-	☐ Both eyes	☐ Monocular eyes
<u>Number of cameras</u>	☐ 4	☐ 7	☐ 5
	☐ 12	☐ 12	☐ 12

Search for part



Search for parameters				
Basic parameters	The number of Thermostats total of 3 models			
	☐ Highlight different parameters	✖ Nailed to the left side	✖ Nailed to the left side	✖ Nailed to the left side
Body	☐ Hide the same parameters	Arcfox Alpha T5 2026 Model Extended Range 1215 Enjoy Edition	Arcfox Alpha T5 2026 Pure Electric 705 Yuanjing Smart Edition	Arcfox Alpha T5 2026 Pure Electric 560 Elite Edition 320N-m
Engine		-< ->	-< ->	-< ->
Electric motors				
Battery/Charging				
Transmission	Manufacturer's suggested retail price	112,800 yuan x Calculate	158,800 yuan x Calculate	122,800 yuan x Calculate
Chassis steering	Dealer quotations	Starting from 104,800 yuan about the lowest	Starting from 147,800 yuan about the lowest	Starting from 112,800 yuan about the lowest
Wheel brakes				
Passive safety				
Proactive safety				
Driving control	<u>Rear Vehicle Cross-Traffic Warning System</u>	-	☐	☐
Driving hardware	<u>Satellite navigation systems</u>	☐	☐	☐
Driving functions	<u>Navigation traffic information display</u>	☐	☐	☐
Appearance/anti-theft	<u>Map brand</u>	☐ Gaode	☐ Gaode	☐ Gaode
Exterior lights	<u>Lane Alignment Assist</u>	-	☐	☐
Skylight/glass	<u>Lane keeping assist system</u>	-	☐	☐
Exterior rearview mirror	<u>Lane centering</u>	-	☐	☐
Connectivity/intelligent	<u>Road traffic sign recognition</u>	-	☐	-
Steering wheel/interface	<u>Assisted parking available</u>	-	☐	☐
Charging inside the car	<u>Remote parking control</u>	-	☐	☐
Seating configuration	<u>Memory Parking</u>	-	☐	-
Audio/interior lighting	<u>Following the trail, he reversed the carriage</u>	-	☐	-
Air conditioning/refrigeration	<u>Assist lane change</u>	-	☐	-
Color	<u>Auxiliary ramp automatically exits (or enters)</u>	-	☐	-
	<u>Traffic light recognition</u>	-	☐	-
	<u>Starting reminder</u>	-	☐	☐
	<u>Assisted driving sections</u>	-	☐ Urban sections ☐ Highway section	-
Appearance/anti-theft				
No standard or optional features				
	<u>Rim material</u>	☐ Aluminum alloy	☐ Aluminum alloy	☐ Aluminum alloy
	<u>Electric trunk</u>	☐	☐	☐
	<u>Sensor-activated trunk</u>	☐	☐	☐
	<u>Electric trunk position memory</u>	☐	☐	☐
	<u>Roof luggage rack</u>	☐	☐	☐
	<u>Engine electronic anti-theft</u>	☐	-	-



<u>Central locking inside the car</u>	☐	☐	☐
<u>Key type</u>	☐ Remote key ☐ Bluetooth key	☐ Remote key ☐ Bluetooth key	☐ Remote key ☐ Bluetooth key
<u>Keyless start system</u>	☐	☐	☐
<u>Keyless entry function</u>	☐ The whole car	☐ The whole car	☐ The whole car
<u>Hidden electric door handles</u>	-	☐	-
<u>Actively closing intake grille</u>	☐	☐	☐
<u>Remote start function</u>	☐	☐	☐
<u>Battery preheating</u>	☐	☐	☐
<u>External discharge</u>	-	☐	☐

Exterior No standard or optional

<u>Low beam light source</u>	☐ LED	☐ LED	☐ LED
<u>High beam light source</u>	☐ LED	☐ LED	☐ LED
<u>LED daytime running lights</u>	☐	☐	☐
<u>Adaptive high and low beams</u>	-	☐	☐
<u>Automatic headlights</u>	☐	☐	☐
<u>Front fog lights</u>	-	-	-
<u>Headlight height is adjustable</u>	☐	☐	☐
<u>Headlights are delayed to turn off</u>	☐	☐	☐

Skylight/glass No standard or optional

<u>Sunroof type</u>	☐ Do not open the panoramic sunroof	☐ Do not open the panoramic sunroof	☐ Do not open the panoramic sunroof
<u>Front/rear power windows</u>	Before/after ☐ ☐	Before/after ☐ ☐	Before/after ☐ ☐
<u>One-touch window up/down function</u>	☐ The whole car	☐ The whole car	☐ The whole car
<u>Anti-pinch window function</u>	☐	☐	☐
<u>Makeup mirror inside the car</u>	☐ The main charioteer stands in the seat ☐ Front passenger seat	☐ Main driver + headlights ☐ Co-passenger seat + headlights	☐ The main charioteer stands in the seat ☐ Front passenger seat
<u>Rear wipers</u>	-	-	-
<u>Sensor wiper function</u>	☐ Rainfall sensing type	☐ Rainfall sensing type	☐ Rainfall sensing type

Exterior rearview No standard or optional features

<u>Exterior rearview mirror function</u>	☐ Electric adjustment	☐ Electric adjustment ☐ Electric folding ☐ Rearview mirror memories ☐ Heated side mirrors	☐ Electric adjustment ☐ Electric folding
--	---	--	---



		Reversing ☐ automatically tilts downward Automatic folding ☐ when locking the car	Automatic folding ☐ when locking the car
Connectivity/intelligence	No standard		
<u>Central color screen</u>	☐ Touchscreen LCD	☐ Touchscreen LCD	☐ Touchscreen LCD
<u>Central control screen size</u>	☐ 15.6 inches features	☐ 15.6 inches	☐ 15.6 inches
<u>Central control screen resolution</u>	☐ 1920x1080	☐ 1920x1080	☐ 1920x1080
<u>The central control screen has a pixel density</u>	☐ 141PPI	☐ 141PPI	☐ 141PPI
<u>Bluetooth/car phone</u>	☐	☐	☐
<u>Mobile phone connectivity/mapping</u>	☐ Supports CarPlay ☐ Factory interconnection/mapping ☐ Supports HUAWEI HiCar	☐ Supports CarPlay ☐ Factory interconnection/mapping ☐ Supports HUAWEI HiCar	☐ Supports CarPlay ☐ Factory interconnection/mapping ☐ Supports HUAWEI HiCar
<u>Voice recognition control system</u>	☐ Multimedia system ☐ Navigation ☐ Phone ☐ Air conditioning ☐ Car window ☐ Seat heating ☐ Ventilated seats	☐ Multimedia system ☐ Navigation ☐ Phone ☐ Air conditioning ☐ Car window ☐ Seat heating ☐ Ventilated seats ☐ Seat massage	☐ Multimedia system ☐ Navigation ☐ Phone ☐ Air conditioning ☐ Car window ☐ Seat heating ☐ Ventilated seats
<u>Voice assistant wake-up words</u>	☐ Little Fox	☐ Little Fox	☐ Little Fox
<u>Voice-free wake-up words</u>	☐	☐	☐
<u>Voice-based regional wake-up recognition</u>	☐ Four areas	☐ Four areas	☐ Four areas
<u>Continuous voice recognition</u>	☐	☐	☐
<u>What you see is speaks volumes</u>	☐	☐	☐
<u>App store</u>	☐	☐	☐
<u>In-vehicle intelligent systems</u>	☐ α-OS	☐ α-OS	☐ α-OS
<u>Intelligent car chip</u>	☐ Qualcomm Snapdragon 8155	☐ Qualcomm Snapdragon 8775	☐ Qualcomm Snapdragon 8155
<u>In-car system memory (GB)</u>	☐ 16	☐ 24	☐ 16
<u>In-car system storage (GB)</u>	☐ 128	☐ 256	☐ 128
<u>Connected vehicles</u>	☐	☐	☐
<u>4G/5G networks</u>	☐ 4G	☐ 4G	☐ 4G
<u>OTA upgrade</u>	☐	☐	☐
<u>Wi-Fi hotspot</u>	☐	☐	☐
	☐ Door control	☐ Door control	☐ Door control



<u>Remote functionality via mobile app</u>	☐ Window control ☐ Vehicle starts ☐ Charging management ☐ Air conditioning control ☐ Vehicle condition inquiry/diagnosis ☐ Vehicle Location/Finding ☐ Car owner services (locating charging stations, gas stations, parking lots, etc.) ☐ Schedule maintenance/repair	☐ Window control ☐ Vehicle starts ☐ Charging management ☐ Air conditioning control ☐ Vehicle condition inquiry/diagnosis ☐ Vehicle Location/Finding ☐ Car owner services (locating charging stations, gas stations, parking lots, etc.) ☐ Schedule maintenance/repair	☐ Window control ☐ Vehicle starts ☐ Charging management ☐ Air conditioning control ☐ Vehicle condition inquiry/diagnosis ☐ Vehicle Location/Finding ☐ Car owner services (locating charging stations, gas stations, parking lots, etc.) ☐ Schedule maintenance/repair
<u>In-car KTV</u>	☐	☐	☐

Steering wheel/interior

No standard

<u>Steering wheel material</u>	☐ or optional ☐ Cortex	☐ Cortex	☐ Cortex
<u>Steering wheel position adjustment</u>	☐ Manual up/down + forward/backward adjustment	☐ Manual up/down + forward/backward adjustment	☐ Manual up/down + forward/backward adjustment
<u>Gear shifting type</u>	☐ Electronic column shifter	☐ Electronic column shifter	☐ Electronic column shifter
<u>Multifunction steering wheel</u>	☐	☐	☐
<u>Heated steering wheel</u>	-	☐	-
<u>Steering wheel memory</u>	-	-	-
<u>The trip computer displays the screen</u>	-	-	-
<u>Full LCD instrument panel</u>	-	-	-
<u>LCD instrument panel size</u>	-	-	-
<u>HUD head-up digital display</u>	☐	☐	☐
<u>HUD head-up size</u>	☐ 22.8 inches	☐ 22.8 inches	☐ 22.8 inches
<u>Interior rearview mirror function</u>	☐ Manual anti-glare	☐ Manual anti-glare	☐ Manual anti-glare
<u>ETC device</u>	☐	☐	☐

Charging inside

No standard or

<u>Multimedia/charging interface</u>	☐ optional USB ☐ Type-C	☐ USB ☐ Type-C	☐ USB ☐ Type-C
<u>The number of USB/Type-C ports</u>	☐ 2 in the front row / 1 in the back	☐ 2 in the front row / 1 in the back	☐ 2 in the front row / 1 in the back
<u>Maximum USB/Type-C charging power</u>	☐ 66W	☐ 66W	☐ 66W
<u>Wireless phone charging function</u>	-	☐ Front row	☐ Front row
<u>Wireless phone charging power</u>	-	☐ 50W	☐ 50W



Seating

No standard or

<u>Seat material</u>	ional features leather	o Faux leather	o Faux leather
<u>Sport-style seats</u>	o	o	o
<u>Main seat adjustment method</u>	o Front and back adjustment o Backrest adjustment	o Front and back adjustment o Backrest adjustment o Height adjustment (2-way)	o Front and back adjustment o Backrest adjustment o Height adjustment (2-way)
<u>Passenger seat adjustment method</u>	o Front and back adjustment o Backrest adjustment	o Front and back adjustment o Backrest adjustment	o Front and back adjustment o Backrest adjustment
<u>Electric adjustment for driver/front passenger seats</u>	Main / Deputy - o	Principal/Deputy o o	Principal/Deputy o o
<u>Front seat function</u>	-	o Heating o Ventilation o Massage	o Heating o Ventilation
<u>Electric seat memory function</u>	-	o Driver's seat o Front passenger seat	o Driver's seat o Front passenger seat
<u>The rear passenger seat has adjustable buttons</u>	-	-	-
<u>Second-row seat adjustment</u>	-	-	-
<u>Second-row seat function</u>	-	o Heating	-
<u>The rear seats are folded down</u>	o Proportion collapsed	o Proportion collapsed	o Proportion collapsed
<u>Front/rear center armrest</u>	Before/after o o	Before/after o o	Before/after o o
<u>Rear cup holders</u>	o	o	o

Audio/interior

No standard or

<u>Speaker brand name</u>	ional features	-	-
<u>Number of speakers</u>	o 8. Speakers	o 18 speakers	o 8. Speakers
<u>Ambient lighting inside the car</u>	-	o 256 colors	-

Air

No standard

<u>Air conditioning temperature control method</u>	o or optional Automatic air conditioning features	o Automatic air conditioning	o Automatic air conditioning
<u>Heat pump air conditioning</u>	-	o	o
<u>Rear seats have independent air conditioning</u>	-	-	-
<u>Rear seat air vents</u>	o	o	o
<u>Temperature zone control</u>	o	o	o
<u>Car air purifier</u>	-	-	-
	o	o	o



<u>Interior PM2.5 filtration device</u>				
Color				
About u	Appearance color	☐ extremely white fox ☐ It was pitch black at night ☐ Haiyan Ash ☐ Wana Blue ☐ Lava ash	☐ <u>It was pitch black at night</u> ☐ <u>extremely white fox</u> ☐ Haiyan Ash ☐ Wana Blue ☐ Lava ash	☐ <u>Wana Blue</u> ☐ <u>It was pitch black at night</u> ☐ <u>Lava ash</u> ☐ <u>extremely white fox</u> ☐ <u>Haiyan Ash</u>
	Interior color	☐ Obsidian black ☐ Black/Crimson Flame Brown	☐ <u>Black/Crimson Flame Brown</u> ☐ <u>Obsidian black</u>	☐ <u>Obsidian black</u> ☐ <u>Black/Crimson Flame Brown</u> ☐ Black/Farstar Purple

