

Search for par...

Current Location: Choosing a vehicle >

Chang'an opens its source > Chang'an Lumin >

Note: The following parameter and configuration information are for reference only. Actual specifications are subject to the vehicles sold in the store

- Basic parameters
- Body
- Electric motors
- Battery/Charging
- Transmission
- Chassis steering
- Wheel brakes
- Passive safety
- Proactive safety
- Driving control
- Driving hardware
- Driving functions
- Appearance/anti-theft
- Exterior lights
- Skylight/glass
- Exterior rearview mirror
- Connectivity/intelligent
- Steering wheel/interior
- Charging inside the car
- Seating configuration
- Audio/interior lighting
- Air conditioning/refrigeration
- Color
- Optional package

Year mark ☒ All are for sale ☐ 2026 model ☐ 2025 model ☐ 2024 model ☐ 2023 model | Discontinued ▾

There are a total of 2 models

☐ Highlight different parameters

☐ Hide the same parameters

✂️ Nailed to the left side ✕

✂️ Nailed to the left side ✕

Changan Lumin 2026 Treasure Edition 205km Pure Love Mi Gotion

Changan Lumin 2026 Treasure Edition 301km Premium Love Mi CATL

< ·-Contras >

< ·-Contras >

Manufacturer's suggested retail price (RMB)

46,900 yuan % Calculator

58,900 yuan % Calculator

Dealer quotations

Starting from 36,900 yuan about the lowest

Starting from 48,900 yuan about the lowest

Basic parameters		
Manufacturer	Changan Automobile	Changan Automobile
Level	Microcars	Microcars
Types of energy	Pure electric	Pure electric
Launch date	2026-01-22	2025-10-30
CLTC pure electric driving range (km)	205	301
Battery fast charging time (hours)	0.58	0.58
Battery slow charging time (hours)	6.5	10
Battery fast charging capacity range (%)	30-80	30-80
Battery slow charging capacity range (%)	-	-
Maximum Power (kW)	35	35
Maximum torque (N·m)	85	85
Body structure	3-door, 4-seat hatchback	3-door, 4-seat hatchback
Electric Motor (Ps)	48	48
Length * Width * Height (mm)	3293*1700*1545	3293*1700*1545
Official 0-100 km/h acceleration (s)	-	-
Official 0-50km/h acceleration (s)	6.1	6.2
Top speed (km/h)	101	101
Fuel consumption equivalent to electricity (L/100km)	1.11	1.16



<u>Maximum full load (kg)</u>	1170	1230
-------------------------------	------	------

Body

<u>Length (mm)</u>	3293	3293
<u>Width (mm)</u>	1700	1700
<u>Height (mm)</u>	1545	1545
<u>Wheelbase (mm)</u>	1980	1980
<u>Front track width (mm)</u>	1476	1476
<u>Rear track (mm)</u>	1480	1480
<u>Minimum Ground Clearance at Full Load (mm)</u>	125	125
<u>Minimum No-load Ground Clearance (mm)</u>	150	150
<u>Minimum Ground Clearance (mm)</u>	-	-
<u>Angle of approach (°)</u>	20	20
<u>Departure angle (°)</u>	28	28
<u>Body structure</u>	Two-box car	Two-box car
<u>Door opening method</u>	The door opened flat	The door opened flat
<u>Number of Doors</u>	○ 3	○ 3
<u>Number of seats</u>	○ 4	○ 4
<u>Trunk Volume (L)</u>	104-804	104-804
<u>Drag coefficient (Cd)</u>	-	-

Electric motors

<u>Former electric motor brand</u>	Chongqing Qingshan	Chongqing Qingshan
<u>Front motor model</u>	YY30TZ155001	YY30TZ155001
<u>Motor type</u>	Permanent magnet/synchronous	Permanent magnet/synchronous
<u>Total motor power (kW)</u>	35	35
<u>Total motor power (Ps)</u>	48	48
<u>Total motor torque (N·m)</u>	85	85
<u>Front motor maximum power (kW)</u>	35	35
<u>Front Motor Maximum Torque (N·m)</u>	85	85
<u>Number of drive motors</u>	Single motor	Single motor
<u>Motor layout</u>	Pre-position	Pre-position



Battery, charging

<u>Battery type</u>	☐ Lithium iron phosphate batteries	☐ Lithium iron phosphate batteries
<u>Battery cell brand</u>	☐ Guoxuan Gaokke	☐ CATL (Jiangsu Times)
<u>Battery cooling method</u>	Wind cooling	Wind cooling
<u>CLTC pure electric driving range (km)</u>	205	301
<u>Battery Energy (kWh)</u>	17.65	28.08
<u>Battery Energy Density (Wh/kg)</u>	125	130
<u>Power consumption per 100 km (kWh/100km)</u>	9.6	10
<u>Fast charging function</u>	Support	Support
<u>Battery fast charging time (hours)</u>	0.58	0.58
<u>Battery fast charging capacity range (%)</u>	30-80	30-80
<u>Battery slow charging time (hours)</u>	6.5	10
<u>Battery slow charging capacity range (%)</u>	-	-
<u>Slow charging port location</u>	Right front side of the carriage	Right front side of the carriage
<u>Fast charging port location</u>	Right front side of the carriage	Right front side of the carriage

Transmission

<u>Abbreviation</u>	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission
<u>Number of gears</u>	1	1
<u>Transmission type</u>	Fixed gear ratio transmission	Fixed gear ratio transmission

Chassis steering

<u>Drive method</u>	☐ with the vanguard positioned ahead	☐ with the vanguard positioned ahead
<u>Front suspension type</u>	MacPherson ☐ independent suspension	MacPherson ☐ independent suspension
<u>Rear suspension type</u>	Dragging arm type ☐ non-independent suspension	Dragging arm type ☐ non-independent suspension
<u>Types of assists</u>	☐ Electric power assist	☐ Electric power assist
<u>Body structure</u>	Load-bearing type	Load-bearing type

Wheel brakes

<u>Front brake type</u>	☐ Disc type	☐ Disc type
<u>Rear brake type</u>	☐ Drum style	☐ Disc type



<u>Front tire specifications</u>	☐ 165/70 R14	☐ 165/70 R14
<u>Rear tire specifications</u>	☐ 165/70 R14	☐ 165/70 R14
<u>Spare tire specifications</u>	-	-

Passive ⌵ No standard or optional ⌵

<u>Driver/passenger airbags</u>	Main / Deputy - ☐	Principal/Deputy ☐ ☐
<u>Front/rear side airbags</u>	-	-
<u>Front/Rear Head Airbags (Curtain Airbags)</u>	-	-

Proactive ⌵ No standard or optional ⌵

<u>ABS anti-lock lock</u>	☐	☐
<u>Braking force distribution (EBD/CBC, etc.)</u>	☐	☐
<u>Brake Assist (EBA/BAS/BA, etc.)</u>	-	☐
<u>Traction control (ASR/TCS/TRC, etc.)</u>	-	☐
<u>Stability control (ESC/ESP/DSC, etc.)</u>	-	☐
<u>Tire pressure monitoring function</u>	☐ Tire pressure alarm	☐ Tire pressure alarm
<u>Seat belt not fastened as a reminder</u>	☐ The driver's seat	☐ The driver's seat
<u>ISOFIX child seat interface</u>	☐	☐
<u>Lane departure warning system</u>	-	-
<u>Active braking/active safety system</u>	-	-
<u>Driver fatigue reminder</u>	-	-
<u>Low-speed driving warning</u>	☐	☐

Driving ⌵ No standard or optional ⌵

<u>Driving mode switching</u>	☐ Exercise ☐ Economy	☐ Exercise ☐ Economy
<u>Energy recovery system</u>	-	-
<u>Automatic parking</u>	-	☐
<u>Uphill assist</u>	-	☐

Driving ⌵ No standard or optional ⌵

<u>Front and rear parking sensors</u>	Before-/after ☐	Before-/after ☐
---------------------------------------	-------------------------------------	-------------------------------------



Beijing

Today, travel

Summary

New car launched

Publish works

Download the app

Mini prog

Number of cameras		
<u>The number of ultrasonic radars</u>	☐ 2	☐ 2

Driving

No standard or optional

<u>Cruise system</u>	☐ Standard	☐ -
<u>Satellite navigation systems</u>	☐ -	☐ -
<u>Navigation traffic information display</u>	☐ -	☐ -
<u>Lane Alignment Assist</u>	☐ -	☐ -
<u>Lane keeping assist system</u>	☐ -	☐ -
<u>Assisted parking available</u>	☐ -	☐ -

Appearance/anti-

No standard or optional features

<u>Rim material</u>	☐ Steel	☐ Steel
<u>Central locking inside the car</u>	☐ -	☐ -
<u>Key type</u>	☐ Remote key	☐ Remote key
<u>Keyless start system</u>	☐ -	☐ -
<u>Keyless entry function</u>	☐ -	☐ -
<u>Hidden electric door handles</u>	☐ -	☐ -
<u>Battery preheating</u>	☐ -	☐ -

Exterior

No standard or optional

<u>Low beam light source</u>	☐ Halogen	☐ Halogen
<u>High beam light source</u>	☐ Halogen	☐ Halogen
<u>LED daytime running lights</u>	☐ -	☐ -
<u>Adaptive high and low beams</u>	☐ -	☐ -
<u>Automatic headlights</u>	☐ -	☐ -
<u>Front fog lights</u>	☐ -	☐ -
<u>Headlight height is adjustable</u>	☐ -	☐ -
<u>Headlights are delayed to turn off</u>	☐ -	☐ -

Skylight/glass

No standard or optional

<u>Sunroof type</u>	☐ Standard	☐ -
<u>Front/rear power windows</u>	Before / After - ☐	Before / After - ☐
<u>One-touch window up/down function</u>	☐ -	☐ -
	☐ -	☐ -



Beijing ▾

Today, travel

Summary |

New car
launched

Publish works

Download the app

Mini prog

<u>Makeup mirror inside the car</u>	☐ The main character stands in the seat	☐ The main character stands in the seat
<u>Rear wipers</u>	-	-
<u>Sensor wiper function</u>	-	-
Exterior rearview No standard or		
<u>Exterior rearview mirror function</u>	☐ tional features	-
Connectivity/intelligence No standard		
<u>Central color screen</u>	☐ or optional	☐ Touchscreen LCD
<u>Central control screen size</u>	- features	☐ 10.25 inches
<u>Bluetooth/car phone</u>	-	☐
<u>Mobile phone connectivity/mapping</u>	-	☐ Factory interconnection/mapping
<u>Voice recognition control system</u>	-	☐
<u>Connected vehicles</u>	☐	☐
<u>4G/5G networks</u>	☐ 4G	☐ 4G
<u>OTA upgrade</u>	-	-
<u>Remote functionality via mobile app</u>	☐ Door control ☐ Charging management ☐ Air conditioning control ☐ Vehicle condition inquiry/diagnosis ☐ Vehicle Location/Finding	☐ Door control ☐ Charging management ☐ Air conditioning control ☐ Vehicle condition inquiry/diagnosis ☐ Vehicle Location/Finding
Steering wheel/interior No standard		
<u>Steering wheel material</u>	☐ or optional ☐ Plastic	☐ Plastic
<u>Steering wheel position adjustment</u>	- features	-
<u>Gear shifting type</u>	☐ Electronic rotary knob gear shifter	☐ Electronic rotary knob gear shifter
<u>Multifunction steering wheel</u>	-	☐
<u>Heated steering wheel</u>	-	-
<u>Steering wheel memory</u>	-	-
<u>The trip computer displays the screen</u>	☐ Color	☐ Color
<u>Full LCD instrument panel</u>	-	-
<u>LCD instrument panel size</u>	☐ 7 inches	☐ 7 inches
<u>Interior rearview mirror function</u>	☐ Manual anti-glare	☐ Manual anti-glare



Beijing

Today, travel

Summary

New car launched

Publish works

Download the app

Mini prog

interface		
The number of USB/Type-C ports	Two in the front row	Three in the front row
Wireless phone charging function	-	-

Seating

No standard or

Seat material	ional features	Mix leather/fabric
Main seat adjustment method	Front and back adjustment Backrest adjustment	Front and back adjustment Backrest adjustment
Passenger seat adjustment method	Front and back adjustment Backrest adjustment	Front and back adjustment Backrest adjustment
Electric adjustment for driver/front passenger seats	-	-
Front seat function	-	-
Electric seat memory function	-	-
The rear passenger seat has adjustable buttons	-	-
Second-row seat adjustment	-	-
The rear seats are folded down	Proportion collapsed	Proportion collapsed
Front/rear center armrest	-	-
Rear cup holders	-	-

Audio/interior

No standard or

Speaker brand name	ional features	-
Number of speakers	-	2. Speakers
Ambient lighting inside the car	-	-

Air

No standard

Air conditioning temperature control method	or optional Manual air conditioning features	Manual air conditioning
Rear seats have independent air conditioning	-	-
Rear seat air vents	-	-
Temperature zone control	-	-
Car air purifier	-	-
Interior PM2.5 filtration device	-	-

Color

查成交价

Beijing

Today, travel

Summary

New car launched

Publish works

Download the app

Mini prog

Appearance color	☐ The wheat is yellow ¥ 1000	☐ The wheat is yellow ¥ 1000
	☐ Magpie ash ¥ 1000	☐ Magpie ash ¥ 1000
	Cherry blossom powder	Cherry blossom powder
	☐ blossom powder ¥ 1000	☐ blossom powder ¥ 1000
Interior color	☐ Ink wash color	☐ Gilded palm ¥ 500
		☐ Ink wash color

Optional

No standard or optional

About u	Smart Fun Interactive Optional Package	es -	-
	Wishful Orange Optional Pack	-	-

