

Search for par...

Current Location: Choosing a vehicle > Li Auto > Note: The following parameter and configuration information are for reference only. Actual specifications are subject to the vehicles sold in the store

Basic parameters

- Body
- Engine
- Electric motors
- Battery/Charging
- Transmission
- Chassis steering
- Wheel brakes
- Passive safety
- Proactive safety
- Driving control
- Four-wheel drive / c
- Driving hardware
- Driving functions
- Appearance/anti-theft
- Exterior lights
- Skylight/glass
- Exterior rearview mirror
- Connectivity/intelligent
- Steering wheel/interior
- Charging inside the car
- Seating configuration
- Audio/interior lighting
- Air conditioning/refrigeration
- Special features
- Color
- Optional package

Year mark ☐ All are for sale ☐ 2026 model | Discontinued ▾

There are a total of 2 models

☐ Highlight different parameters	✖ Nailed to the left side ×	✖ Nailed to the left side ×
☐ Hide the same parameters	Li Auto L9 2026 Ultra	Li Auto L9 2026 Livis
	 ·Contras · 	 ·Contras · 
Manufacturer's suggested retail price (RMB)	459,800 RMB % Calculator	509,800 yuan % Calculator
Dealer quotations	Starting from 459,800 yuan about the lowest	Starting from 509,800 yuan about the lowest

Basic parameters		
Manufacturer	Li Auto	Li Auto
Level	Large SUV	Large SUV
Types of energy	Extended-range range	Extended-range range
Environmental standards	Country VI	Country VI
Launch date	2026-05-15	2026-05-15
WLTC pure electric range (km)	350	350
CLTC pure electric driving range (km)	420	420
Battery fast charging time (hours)	0.17	0.17
Battery fast charging capacity range (%)	10-80	10-80
Maximum Power (kW)	420	420
Maximum torque (N·m)	710	710
Transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission
Body structure	A 5-door, 6-seat SUV	A 5-door, 6-seat SUV
Engine	Range extender: 156 horsepower	Range extender: 156 horsepower
Electric Motor (Ps)	571	571
Length * Width * Height (mm)	5255*2000*1810	5255*2000*1810
Official 0-100 km/h acceleration (s)	4.9	4.9
Top speed (km/h)	200	200
WLTC combined fuel consumption (L/100km)	0.23	0.27



<u>(L/100km) WLTC</u>		
Combined fuel consumption for fuel and electricity (L/100km)	2.88	2.93
<u>Full vehicle warranty</u>	○ Five years or 100,000 kilometers	○ Five years or 100,000 kilometers
<u>Curb Weight (kg)</u>	2755	2835
<u>Maximum full load (kg)</u>	3435	3435
<u>Quasi-trailer gross weight (kg)</u>	1500	1500

Body

<u>Length (mm)</u>	5255	5255
<u>Width (mm)</u>	2000	2000
<u>Height (mm)</u>	1810	1810
<u>Wheelbase (mm)</u>	3125	3125
<u>Front track width (mm)</u>	1710	1710
<u>Rear track (mm)</u>	1725	1725
<u>Angle of approach (°)</u>	20	20
<u>Departure angle (°)</u>	22	22
<u>Minimum turning radius (m)</u>	5.3	5.3
<u>Body structure</u>	SUV	SUV
<u>Door opening method</u>	The door opened flat	The door opened flat
<u>Number of Doors</u>	○ 5	○ 5
<u>Number of seats</u>	○ 6	○ 6
<u>Fuel tank capacity (L)</u>	60	60
<u>Trunk Volume (L)</u>	-	-
<u>Drag coefficient (Cd)</u>	-	-

Engine

<u>Engine model</u>	L3E15CA	L3E15CA
<u>Displacement (mL)</u>	1498	1498
<u>Displacement (L)</u>	1.5	1.5
<u>Intake type</u>	Turbocharging	Turbocharging
<u>Engine layout</u>	Placed horizontally	Placed horizontally
<u>Cylinder arrangement type</u>	L	L
<u>Number of cylinders (units)</u>	4	4
<u>Number of valves per cylinder (units)</u>	4	4
<u>Valve mechanism</u>	DOHC	DOHC



<u>Maximum Power (kW)</u>	112	112
<u>Maximum Power Speed (rpm)</u>	4800	4800
<u>Maximum torque (N·m)</u>	245	245
<u>Maximum torque speed (rpm)</u>	2500-4000	2500-4000
<u>Maximum Net Power (kW)</u>	112	112
<u>Types of energy</u>	Extended-range range	Extended-range range
<u>Fuel grade</u>	No. 95	No. 95
<u>Fuel supply method</u>	Direct injection	Direct injection
<u>Cylinder head materials</u>	Aluminum alloy	Aluminum alloy
<u>Cylinder body materials</u>	Aluminum alloy	Aluminum alloy
<u>Environmental standards</u>	Country VI	Country VI

Electric motors

<u>Front motor model</u>	DY63YS210HX1	DY63YS210HX1
<u>Rear motor model</u>	QT63TZ220112	QT63TZ220112
<u>Motor type</u>	Front induction/asynchronous, rear permanent magnet/synchronous	Front induction/asynchronous, rear permanent magnet/synchronous
<u>Total motor power (kW)</u>	420	420
<u>Total motor power (Ps)</u>	571	571
<u>Total motor torque (N·m)</u>	710	710
<u>Front motor maximum power (kW)</u>	145	145
<u>Front Motor Maximum Torque (N·m)</u>	265	265
<u>Rear motor maximum power (kW)</u>	275	275
<u>Maximum torque of the rear motor (N·m)</u>	445	445
<u>System Combined Power (kW)</u>	420	420
<u>System Combined Power (Ps)</u>	571	571
<u>System Combined Torque (N·m)</u>	710	710
<u>Number of drive motors</u>	Dual motors	Dual motors
<u>Motor layout</u>	Front + rear camera	Front + rear camera



Battery charging

<u>Battery type</u>	☐ ternary lithium batteries	☐ ternary lithium batteries
<u>Battery cell brand</u>	☐ CATL (Jiangsu Times)	☐ CATL (Jiangsu Times)
<u>Battery cooling method</u>	Liquid cooling	Liquid cooling
<u>WLTC pure electric range (km)</u>	350	350
<u>CLTC pure electric driving range (km)</u>	420	420
<u>WLTC Combined Range (km)</u>	1370	1370
<u>CLTC Combined Range (km)</u>	1650	1650
<u>Battery Energy (kWh)</u>	72.7	72.7
<u>Power consumption per 100 km (kWh/100km)</u>	22.8	22.9
<u>Fast charging function</u>	Support	Support
<u>High-voltage fast charging</u>	Support	Support
<u>High-voltage platform (V)</u>	800	800
Battery fast charging time (minutes)	10	10
<u>Battery fast charging time (hours)</u>	0.17	0.17
<u>Battery fast charging capacity range (%)</u>	10-80	10-80
<u>Slow charging port location</u>	Left rear side of the vehicle	Left rear side of the vehicle
<u>Fast charging port location</u>	Left rear side of the vehicle	Left rear side of the vehicle
<u>External AC Discharge Power (kW)</u>	3.5	3.5

Transmission

<u>Abbreviation</u>	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission
<u>Number of gears</u>	1	1
<u>Transmission type</u>	Fixed gear ratio transmission	Fixed gear ratio transmission

Chassis steering

<u>Drive method</u>	☐ Dual-motor all-wheel drive	☐ Dual-motor all-wheel drive
<u>Four-wheel drive configuration</u>	☐ Electric four-wheel drive	☐ Electric four-wheel drive
<u>Front suspension type</u>	Double wishbone ☐ independent	Double wishbone ☐ independent



<u>Rear suspension type</u>	☐ Independent suspension	☐ Independent suspension
<u>Types of assists</u>	☐ Electronic telemetry assistance	☐ Electronic telemetry assistance
<u>Body structure</u>	Load-bearing type	Load-bearing type
<u>Drive-by-wire intelligent chassis</u>	☐ Steer-by-wire	☐ Brake-by-wire ☐ Steer-by-wire ☐ Active suspension

Wheel brakes

<u>Front brake type</u>	☐ Ventilated disc type	☐ Ventilated disc type
<u>Rear brake type</u>	☐ Ventilated disc type	☐ Ventilated disc type
<u>Types of parking brakes</u>	☐ Electronic parking lot	☐ Electronic parking lot
<u>Front tire specifications</u>	☐ 285/45 R21 ☐ 285/40 R22 (10,000 NTD)	☐ 285/40 R22
<u>Rear tire specifications</u>	☐ 285/45 R21 ☐ 285/40 R22	☐ 285/40 R22
<u>Spare tire specifications</u>	-	-

Passive No standard or optional

<u>Driver/passenger airbags</u>	Principal/Deputy ☐ ☐	Principal/Deputy ☐ ☐
<u>Front/rear side airbags</u>	Before/after ☐ ☐	Before/after ☐ ☐
<u>Front/Rear Head Airbags (Curtain Airbags)</u>	Before/after ☐ ☐	Before/after ☐ ☐
<u>Front row central airbag</u>	☐	☐
<u>Rear seat airbags to prevent sliding</u>	☐	☐

Proactive No standard or optional

<u>ABS anti-lock lock</u>	☐	☐
<u>Braking force distribution (EBD/CBC, etc.)</u>	☐	☐
<u>Brake Assist (EBA/BAS/BA, etc.)</u>	☐	☐
<u>Traction control (ASR/TCS/TRC, etc.)</u>	☐	☐
<u>Stability control (ESC/ESP/DSC, etc.)</u>	☐	☐
<u>Tire pressure monitoring function</u>	☐ Tire pressure display	☐ Tire pressure display
<u>Seat belt not fastened as a reminder</u>	☐ The whole car	☐ The whole car
<u>ISOFIX child seat interface</u>	☐	☐



<u>Active driving/active safety system</u>	☐	☐
<u>Driver fatigue reminder</u>	☐	☐
<u>DOW door opening warning</u>	☐	☐
<u>Forward collision warning</u>	☐	☐
<u>Rear collision warning</u>	☐	☐
<u>Sentinel Mode / Clairvoyance</u>	☐	☐
<u>Low-speed driving warning</u>	☐	☐
<u>Built-in dashcam</u>	☐	☐
<u>Roadside assistance calls</u>	☐	☐

Driving	No standard or optional	
<u>Driving mode switching</u>	☐ Exercise ☐ Economy ☐ Standard/Comfortable ☐ Cross-country ☐ Snowfield ☐ Customize/personalize	☐ Exercise ☐ Economy ☐ Standard/Comfortable ☐ Cross-country ☐ Snowfield ☐ Customize/personalize
<u>Energy recovery system</u>	☐	☐
<u>Automatic parking</u>	☐	☐
<u>Uphill assist</u>	☐	☐
<u>Steep slopes descend gently</u>	☐	☐
<u>Variable suspension function</u>	☐ Adjustable suspension firmness ☐ Suspension height adjustment	☐ Adjustable suspension firmness ☐ Suspension height adjustment
<u>Air suspension</u>	☐	☐
Air suspension type	☐ Dual-chamber	☐ Single-chamber
<u>Magic Carpet Smart Suspension</u>	☐	☐
<u>Integrated active steering system</u>	☐	☐
<u>Rear wheel steering angle (°)</u>	☐ ±7	☐ ±7

Four-wheel drive /	No standard or optional	
<u>Drag hooks</u>	☐ Electric (6000 RMB)	☐ Electric (6000 RMB)

Driving	No standard or optional	
<u>Front and rear parking sensors</u>	☐ Before/after ☐ ☐	☐ Before/after ☐ ☐
<u>Driver assistance cameras</u>	☐ 360-degree panoramic imaging	☐ 360-degree panoramic imaging



<u>Transparent chassis / 540-degree imaging</u>	☐	☐
<u>Driver assistance chip</u>	☐ Mach M100 ☐ 2 Mach M100 chips	☐ 2 Mach M100 chips
<u>Total chip computing power</u>	☐ 1280 TOPS ☐ 2560 TOPS	☐ 2560 TOPS
<u>Forward perception camera</u>	☐ Both eyes	☐ Both eyes
<u>Number of cameras</u>	☐ 11	☐ 11
<u>Front perception camera pixels</u>	☐ 8 million	☐ 8 million
<u>Environment-aware camera pixels</u>	☐ 8 million	☐ 8 million
Surround view camera pixels	☐ 3 million	☐ 3 million
<u>Number of in-car cameras</u>	☐ 2	☐ 2
<u>UWB high-precision radar</u>	☐ 10 units	☐ 10 units
<u>The number of millimeter-wave radars</u>	☐ 1	☐ 1
<u>LiDAR brand</u>	☐ HESAI Hesai Technology	☐ HESAI Hesai Technology
<u>LiDAR model</u>	☐ ATL-P	☐ ATL-P
<u>Lidar quantity</u>	☐ 1 ☐ 4	☐ 4

Driving No standard or optional

<u>Cruise system</u>	☐ Full-speed adaptive cruise control	☐ Full-speed adaptive cruise control
<u>Driver assistance system</u>	☐ Mach intelligent assisted driving	☐ Mach intelligent assisted driving
<u>Driver assistance level</u>	☐ L2	☐ L2
<u>Rear Vehicle Cross-Traffic Warning System</u>	☐	☐
<u>Satellite navigation systems</u>	☐	☐
<u>Navigation traffic information display</u>	☐	☐
<u>Map brand</u>	☐ Gaode	☐ Gaode
High-precision positioning	☐	☐
<u>Lane Alignment Assist</u>	☐	☐
<u>Lane keeping assist system</u>	☐	☐
<u>Lane centering</u>	☐	☐
<u>Road traffic sign recognition</u>	☐	☐



Beijing ▾ Today, travel Summary | This week's...

Publish works Download the app Mini prog

<u>Remote parking control</u>	☐	☐
<u>Memory Parking</u>	☐	☐
<u>Assist lane change</u>	☐	☐
<u>Auxiliary ramp automatically exits (or enters)</u>	☐	☐
<u>Traffic light recognition</u>	☐	☐
<u>Ranged Summon</u>	☐	☐
<u>Steering wheel hands-off detection</u>	☐	☐
<u>Starting reminder</u>	☐	☐
<u>Assisted driving sections</u>	☐ Urban sections ☐ Highway section	☐ Urban sections ☐ Highway section

Appearance/anti- No standard or

<u>Rim material</u>	☐ No standard or optional features ☐ Aluminum alloy	☐ Aluminum alloy
<u>Electric suction doors</u>	☐ The whole car	☐ The whole car
<u>Automatic door opening and closing</u>	☐	☐
<u>Electric trunk</u>	☐	☐
<u>Sensor-activated trunk</u>	☐	☐
<u>Electric trunk position memory</u>	☐	☐
<u>Engine electronic anti-theft</u>	☐	☐
<u>Central locking inside the car</u>	☐	☐
<u>Key type</u>	☐ Mechanical keys ☐ Bluetooth key ☐ UWB digital key ☐ NFC/RFID keys	☐ Mechanical keys ☐ Bluetooth key ☐ UWB digital key ☐ NFC/RFID keys
<u>Keyless start system</u>	☐	☐
<u>Keyless entry function</u>	☐ The whole car	☐ The whole car
<u>Actively closing intake grille</u>	☐	☐
<u>Remote start function</u>	☐	☐
<u>Side pedals</u>	☐ Electric (10,000 RMB)	☐ Electric (10,000 RMB)
<u>Battery preheating</u>	☐	☐
<u>External discharge</u>	☐	☐

Exterior No standard or optional

<u>Low beam light source</u>	☐ LED	☐ LED
<u>High beam light source</u>	☐ LED	☐ LED
	☐	☐



Beijing ▾ Today, travel Summary | This week's...

Publish works Download the app Mini prog

<u>Headlight high and low beams</u>	☐	☐
<u>Automatic headlights</u>	☐	☐
<u>Turn assist lights</u>	☐	☐
<u>Front fog lights</u>	-	-
<u>Headlight height is adjustable</u>	☐	☐
<u>Headlights are delayed to turn off</u>	☐	☐
<u>Driver assistance lights</u>	☐	☐

Skylight/glass No standard or optional

<u>Sunroof type</u>	☐ Segmented ☐ sunroofs cannot be opened	☐ Segmented ☐ sunroofs cannot be opened
<u>Front/rear power windows</u>	Before/after ☐ ☐	Before/after ☐ ☐
<u>One-touch window up/down function</u>	☐ The whole car	☐ The whole car
<u>Anti-pinch window function</u>	☐	☐
<u>Multi-layer soundproof glass for side windows</u>	☐ Front row ☐ Back row	☐ Front row ☐ Back row
<u>Rear side window sunshade</u>	☐ Electric	☐ Electric
<u>Rear side privacy glass</u>	☐	☐
<u>Rear dimmable privacy glass</u>	☐ (10,000 yuan)	☐ (10,000 yuan)
<u>Makeup mirror inside the car</u>	☐ Main driver + headlights ☐ Co-passenger seat + headlights ☐ Rear seats + lighting	☐ Main driver + headlights ☐ Co-passenger seat + headlights ☐ Rear seats + lighting
<u>Rear wipers</u>	☐	☐
<u>Sensor wiper function</u>	☐ Rainfall sensing type	☐ Rainfall sensing type

Exterior rearview No standard or

<u>Exterior rearview mirror function</u>	☐ Electric adjustment ☐ Electric folding ☐ Rearview mirror memories ☐ Heated side mirrors ☐ Reversing automatically tilts downward ☐ Automatic folding when locking the car ☐ Automatic anti-glare	☐ Electric adjustment ☐ Electric folding ☐ Rearview mirror memories ☐ Heated side mirrors ☐ Reversing automatically tilts downward ☐ Automatic folding when locking the car ☐ Automatic anti-glare
--	--	--



Beijing ▾ Today, travel Summary | This week's...

Publish works Download the app Mini prog

<u>Central control screen size</u>	features ○ 29 inches	○ 29 inches
<u>Central control screen resolution</u>	○ 6K	○ 6K
<u>Bluetooth/car phone</u>	○	○
<u>Mobile phone connectivity/mapping</u>	-	-
<u>Voice recognition control system</u>	○ Multimedia system ○ Navigation ○ Phone ○ Air conditioning ○ Car window ○ Seat heating ○ Ventilated seats ○ Seat massage	○ Multimedia system ○ Navigation ○ Phone ○ Air conditioning ○ Car window ○ Seat heating ○ Ventilated seats ○ Seat massage
<u>Voice assistant wake-up words</u>	○ Ideal classmate	○ Ideal classmate
<u>Voice-free wake-up words</u>	○	○
<u>Voice-based regional wake-up recognition</u>	○ Six zones	○ Six zones
<u>Continuous voice recognition</u>	○	○
<u>What you see is speaks volumes</u>	○	○
<u>Gesture control</u>	○	○
<u>Facial recognition</u>	○	○
<u>Voiceprint recognition</u>	○	○
<u>Voice interaction outside the vehicle</u>	○	○
<u>App store</u>	○	○
<u>In-vehicle intelligent systems</u>	○ Transwarp OS	○ Transwarp OS
<u>Intelligent car chip</u>	Qualcomm ○ Snapdragon 8797 Max	Qualcomm ○ Snapdragon 8797 Elite
<u>Rear LCD screen</u>	○	○
<u>Rear LCD screen size</u>	○ 21 inches	○ 21 inches
<u>Rear LCD screen resolution</u>	○ 4K	○ 4K
<u>Number of rear multimedia screens</u>	○ 2	○ 2
<u>Rear seat controls multimedia</u>	○	○
<u>In-car system memory (GB)</u>	○ 32	○ 48
<u>In-car system storage (GB)</u>	○ 256	○ 256



Beijing Today, travel Summary This week's...

Publish works

Download the app

Mini prog

<u>Mobile remote to the flying screen control</u>	☐	☐
<u>Connected vehicles</u>	☐	☐
<u>4G/5G networks</u>	☐ 5G	☐ 5G
<u>OTA upgrade</u>	☐	☐
<u>Wi-Fi hotspot</u>	☐	☐
<u>In-car biomonitoring system</u>	☐	☐
<u>Remote functionality via mobile app</u>	☐ Door control ☐ Window control ☐ Vehicle starts ☐ Charging management ☐ Air conditioning control ☐ Heated steering wheel ☐ Seat heating ☐ Ventilated seats ☐ Vehicle condition inquiry/diagnosis ☐ Vehicle Location/Finding ☐ Car owner services (locating charging stations, gas stations, parking lots, etc.) ☐ Schedule maintenance/repair ☐ Door control ☐ Window control ☐ Vehicle starts ☐ Charging management ☐ Air conditioning control ☐ Heated steering wheel ☐ Seat heating ☐ Ventilated seats ☐ Vehicle condition inquiry/diagnosis ☐ Vehicle Location/Finding ☐ Car owner services (locating charging stations, gas stations, parking lots, etc.) ☐ Schedule maintenance/repair	
<u>Active noise cancellation</u>	☐	☐
<u>In-car KTV</u>	☐	☐

Steering wheel/interior

No standard

<u>Steering wheel material</u>	☐ or optional ☐ Genuine leather	-	☐ Genuine leather
<u>Steering wheel position adjustment</u>	Electric up/down + ☐ front-rear adjustment		Electric up/down + ☐ front-rear adjustment
<u>Gear shifting type</u>	☐ Electronic column shifter		☐ Electronic column shifter
<u>Multifunction steering wheel</u>	☐	☐	
<u>Heated steering wheel</u>	☐	☐	
<u>Steering wheel memory</u>	☐	☐	
<u>The trip computer displays the screen</u>	-	-	
<u>Full LCD instrument panel</u>	-	-	
<u>LCD instrument panel size</u>	-	-	
	☐	☐	

查成交价 >



Beijing ▾ Today, travel Summary | This week's...

Publish works Download the app Mini prog

<u>Interior rearview mirror function</u>	☐ Automatic anti-glare ☐ Streaming	☐ Automatic anti-glare ☐ Streaming
<u>ETC device</u>	☐	☐

Charging inside No standard or

<u>Multimedia/charging interface</u>	☐ Additional features ☐ Type-C	☐ Type-C
<u>The number of USB/Type-C ports</u>	☐ 2 in the front row / 4 in the back	☐ 2 in the front row / 4 in the back
<u>Maximum USB/Type-C charging power</u>	☐ 67W	☐ 67W
<u>220V/230V power supply</u>	☐	☐
<u>Wireless phone charging function</u>	☐ Front row	☐ Front row
<u>Wireless phone charging power</u>	☐ 50W	☐ 50W
<u>Luggage compartment 12V power outlet</u>	☐	☐

Seating No standard or

<u>Seat material</u>	☐ Additional features ☐ Genuine leather	☐ Genuine leather
<u>Main seat adjustment method</u>	☐ Front and back adjustment ☐ Backrest adjustment ☐ Height adjustment (4-way) ☐ Leg rest adjustment ☐ Lumbar support (4 directions)	☐ Front and back adjustment ☐ Backrest adjustment ☐ Height adjustment (4-way) ☐ Leg rest adjustment ☐ Lumbar support (4 directions)
<u>Passenger seat adjustment method</u>	☐ Front and back adjustment ☐ Backrest adjustment ☐ Height adjustment (4-way) ☐ Leg rest adjustment ☐ Lumbar support (4 directions)	☐ Front and back adjustment ☐ Backrest adjustment ☐ Height adjustment (4-way) ☐ Leg rest adjustment ☐ Lumbar support (4 directions)
<u>Electric adjustment for driver/front passenger seats</u>	Principal/Deputy ☐ ☐	Principal/Deputy ☐ ☐
<u>Front seat function</u>	☐ Heating ☐ Ventilation ☐ Massage ☐ Headrest speaker ☐ Headrest heating	☐ Heating ☐ Ventilation ☐ Massage ☐ Headrest speaker ☐ Headrest heating
<u>Electric seat memory function</u>	☐ Driver's seat ☐ Front passenger seat	☐ Driver's seat ☐ Front passenger seat
<u>The rear passenger seat has adjustable buttons</u>	☐	☐
	☐ Front and back adjustment ☐ Backrest adjustment	☐ Front and back adjustment ☐ Backrest adjustment



Beijing ▾ Today, travel Summary | This week's...

Publish works Download the app Mini prog

<u>The second-row seats are electrically adjustable</u>	☐	☐
<u>Second-row seat function</u>	☐ Heating ☐ Ventilation ☐ Massage ☐ Headrest heating	☐ Heating ☐ Ventilation ☐ Massage ☐ Headrest heating
<u>Small tabletop in the back row</u>	☐	☐
<u>Zero-gravity seats</u>	☐ First row ☐ Second row	☐ First row ☐ Second row
<u>The second row has independent seats</u>	☐	☐
<u>Third-row seat adjustment</u>	☐ Backrest adjustment	☐ Backrest adjustment
<u>The third-row seats are electrically adjustable</u>	☐	☐
<u>Third-row seat function</u>	☐ Heating	☐ Heating
<u>Seat layout</u>	☐ 2-2-2	☐ 2-2-2
<u>The rear seats are folded down</u>	☐ Proportion collapsed	☐ Proportion collapsed
<u>The rear seats fold down electrically</u>	☐	☐
<u>Front/rear center armrest</u>	Before/after ☐ ☐	Before/after ☐ ☐
<u>Rear cup holders</u>	☐	☐

Audio/interior No standard or

<u>Speaker brand name</u>	☐ Optional features	☐ -
<u>Number of speakers</u>	☐ 33 horns	☐ 33 horns
<u>Maximum Output Power of Amplifier (W)</u>	☐ 5440	☐ 5440
<u>Speaker layout</u>	☐ 9.3.6	☐ 9.3.6
Dolby Atmos	☐	☐
<u>Touch-type reading light</u>	☐	☐
<u>Ambient lighting inside the car</u>	☐ 256 colors	☐ 256 colors
<u>Active ambient lighting</u>	☐	☐

Air No standard

<u>Air conditioning temperature control method</u>	☐ or optional Automatic air conditioning features	☐ Automatic air conditioning
<u>Heat pump air conditioning</u>	☐	☐
<u>Rear seats have independent air</u>	☐	☐



<u>Temperature zone control</u>	☐	☐
<u>Car air purifier</u>	☐	☐
<u>Interior PM2.5 filtration device</u>	☐	☐
<u>Negative ion generator</u>	☐	☐
<u>In-car fragrance system</u>	☐	☐
<u>Air quality monitoring</u>	☐	☐
<u>Car refrigerator</u>	☐	☐

Special No standard or optional

Door capacitors are anti-pinch protection	☐	☐
---	-----------------------	-----------------------

Color

Appearance color	☐ <u>Diamond black metallic paint</u> ☐ <u>Titanium metallic paint</u> ☐ <u>Polar gray cold gloss paint</u> ☐ <u>Truffle Gold Special Edition Pearl Lacquer</u> ￥10000 ☐ <u>Pearl white metallic paint</u> ☐ <u>Emerald special edition pearl paint</u> ￥10000 ☐ <u>Dark Night Purple Special Edition Pearl Lacquer</u> ￥10000	☐ <u>Gold/Green</u> ￥20000 ☐ <u>Gold/Purple</u> ￥20000 ☐ <u>Gold/brown</u> ￥20000 ☐ <u>Gold/Black</u> ￥20000 ☐ <u>Diamond black metallic paint</u> ☐ <u>Emerald special edition pearl paint</u> ￥10000 ☐ <u>Truffle Gold Special Edition Pearl Lacquer</u> ￥10000 ☐ <u>Titanium metallic paint</u> ☐ <u>Pearl white metallic paint</u> ☐ <u>Polar gray cold gloss paint</u> ☐ <u>Dark Night Purple Special Edition Pearl Lacquer</u> ￥10000
Interior color	☐ <u>Brown/Brown color</u> ☐ <u>Green/White</u> ☐ <u>Gray/purple</u> ☐ <u>Brown/white</u>	☐ <u>Gray/purple</u> ☐ <u>Green/White</u> ☐ <u>Brown/Brown color</u> ☐ <u>Brown/white</u>

Optional No standard or optional

Mach Body-Equipped Intelligence Suit	Includes: Mach M100 chip, side-facing solid-state variable focus LiDAR ×2, rear-facing solid-state variable focus LiDAR, intelligent tri-color star-ring headlights, and full-car	-
--------------------------------------	---	---



Beijing ▾

Today, travel

Summary | This week's...

Publish works

Download the app

Mini prog

About u

	NVIDJ	
Livis exclusive design kit	-	Includes: Livis exclusive crystal gray chrome trim, Livis exclusive embroidered soft pillow, Livis exclusive logo tail badge, Livis exclusive letter welcome light carpet, and exclusive Livis two-tone steering wheel ○ Optional (Free)

