

Note: The following parameter and configuration information are for reference only.

Actual specifications are subject to the vehicles sold in the store

Drive type ☐ Vanguard ☐ Four-wheel drive

<u>Manufacturer</u>	FAW-Volkswagen	FAW-Volkswagen	FAW-Volkswagen
<u>Level</u>	Mid-size SUV	Mid-size SUV	Mid-size SUV
<u>Types of energy</u>	Gasoline	Gasoline	Gasoline
<u>Environmental standards</u>	Country VI	Country VI	Country VI
<u>Launch date</u>	2026-03-27	2025-11-28	2026-03-27
<u>Maximum Power (kW)</u>	118	118	137
<u>Maximum torque (N·m)</u>	250	250	320
<u>Transmission</u>	7-speed wet dual-clutch	7-speed wet dual-clutch	7-speed wet dual-clutch
<u>Body structure</u>	A 5-door, 5-seat SUV	A 5-door, 5-seat SUV	A 5-door, 5-seat SUV
<u>Engine</u>	1.5T 160-horsepower L4	1.5T 160-horsepower L4	2.0T 186 horsepower L4
<u>Length * Width * Height (mm)</u>	4593*1860*1665	4684*1854*1685	4593*1860*1665
<u>Official 0-100 km/h acceleration (s)</u>	9.5	9.4	9.3
<u>Top speed (km/h)</u>	200	200	200
<u>WLTC combined fuel consumption (L/100km)</u>	6.7	6.42	7.07
<u>Full vehicle warranty</u>	○ Three years or 100,000 kilometers	○ Three years or 100,000 kilometers	○ Three years or 100,000 kilometers
<u>Curb Weight (kg)</u>	1632	1624	1679
<u>Maximum full load (kg)</u>	2110	2100	2160

<u>Length (mm)</u>	4593	4684	4593

<u>Width (mm)</u>	1860	1854	1860
<u>Height (mm)</u>	1665	1685	1665
<u>Wheelbase (mm)</u>	2731	2791	2731
<u>Front track width (mm)</u>	1586	1582	1586
<u>Rear track (mm)</u>	1576	1572	1576
<u>Angle of approach (°)</u>	20	17	19
<u>Departure angle (°)</u>	18	20	19
<u>Body structure</u>	SUV	SUV	SUV
<u>Door opening method</u>	The door opened flat	The door opened flat	The door opened flat
<u>Number of Doors</u>	○ 5	○ 5	○ 5
<u>Number of seats</u>	○ 5	○ 5	○ 5
<u>Fuel tank capacity (L)</u>	60	60	60
<u>Trunk Volume (L)</u>	506	455	506
<u>Drag coefficient (Cd)</u>	-	-	-

Engine

<u>Engine model</u>	EA211-DSV	EA211-DSV	EA888-DTH
<u>Displacement (mL)</u>	1498	1498	1984
<u>Displacement (L)</u>	1.5	1.5	2.0
<u>Intake type</u>	Turbocharging	Turbocharging	Turbocharging
<u>Engine layout</u>	Placed horizontally	Placed horizontally	Placed horizontally
<u>Cylinder arrangement type</u>	L	L	L
<u>Number of cylinders (units)</u>	4	4	4
<u>Number of valves per cylinder (units)</u>	4	4	4
<u>Valve mechanism</u>	DOHC	DOHC	DOHC
<u>Maximum horsepower (Ps)</u>	160	160	186
<u>Maximum Power (kW)</u>	118	118	137
<u>Maximum Power Speed (rpm)</u>	5500	5500	4150-6000
<u>Maximum torque (N·m)</u>	250	250	320
<u>Maximum torque speed (rpm)</u>	1750-4000	1750-4000	1600-4050
<u>Maximum Net Power (kW)</u>	118	118	137
<u>Engine-specific technology</u>	The Miller cycle	The Miller cycle	-
<u>Types of energy</u>	Gasoline	Gasoline	Gasoline
<u>Fuel grade</u>	No. 95	No. 95	No. 95
<u>Lowest fuel rating</u>	No. 92	No. 92	-
<u>Fuel supply method</u>	Direct injection	Direct injection	Direct injection

<u>Cylinder head materials</u>	Aluminum alloy	Aluminum alloy	Aluminum alloy
<u>Cylinder body materials</u>	Aluminum alloy	Aluminum alloy	Cast iron
<u>Environmental standards</u>	Country VI	Country VI	Country VI

Transmission

<u>Abbreviation</u>	7-speed wet dual-clutch	7-speed wet dual-clutch	7-speed wet dual-clutch
<u>Number of gears</u>	7	7	7
<u>Transmission type</u>	Wet dual-clutch transmission (DCT)	Wet dual-clutch transmission (DCT)	Wet dual-clutch transmission (DCT)

Chassis steering

<u>Drive method</u>	☐ with the vanguard positioned ahead	☐ with the vanguard positioned ahead	☐ with the vanguard positioned ahead
<u>Four-wheel drive configuration</u>	-	-	-
<u>Central differential structure</u>	-	-	-
<u>Front suspension type</u>	MacPherson ☐ independent suspension	MacPherson ☐ independent suspension	MacPherson ☐ independent suspension
<u>Rear suspension type</u>	Multi-link ☐ independent suspension	Multi-link ☐ independent suspension	Multi-link ☐ independent suspension
<u>Types of assists</u>	☐ Electric power assist	☐ Electric power assist	☐ Electric power assist
<u>Body structure</u>	Load-bearing type	Load-bearing type	Load-bearing type

Wheel brakes

<u>Front brake type</u>	☐ Ventilated disc type	☐ Ventilated disc type	☐ Ventilated disc type
<u>Rear brake type</u>	☐ Disc type	☐ Disc type	☐ Disc type
<u>Types of parking brakes</u>	☐ Electronic parking lot	☐ Electronic parking lot	☐ Electronic parking lot
<u>Front tire specifications</u>	☐ 235/55 R18 ☐ 235/50 R19 (2000 yuan)	☐ 235/55 R18 ☐ 235/50 R19 (2000 yuan)	☐ 235/55 R18 ☐ 235/50 R19 (2000 yuan)
<u>Rear tire specifications</u>	☐ 235/55 R18 ☐ 235/50 R19	☐ 235/55 R18 ☐ 235/50 R19	☐ 235/55 R18 ☐ 235/50 R19
<u>Spare tire specifications</u>	☐ Non-full-size (200 NTD)	☐ Non-full-size (200 NTD)	☐ Non-full-size (200 NTD)
<u>Spare tire placement method</u>	☐ Inside the trunk	☐ Inside the trunk	☐ Inside the trunk

Passive

No standard or optional

<u>Driver/passenger airbags</u>	Principal/Deputy ☐ ☐	Principal/Deputy ☐ ☐	Principal/Deputy ☐ ☐
<u>Front/rear side airbags</u>	Before / After - ☐	Before / After - ☐	Before / After - ☐
<u>Front/Rear Head Airbags (Curtain Airbags)</u>	Before/after ☐ ☐	Before/after ☐ ☐	Before/after ☐ ☐
<u>Front row central airbag</u>	-	-	-

Proactive No standard or optional

<u>ABS anti-lock lock</u>	☐	☐	☐
<u>Braking force distribution (EBD/CBC, etc.)</u>	☐	☐	☐
<u>Brake Assist (EBA/BAS/BA, etc.)</u>	☐	☐	☐
<u>Traction control (ASR/TCS/TRC, etc.)</u>	☐	☐	☐
<u>Stability control (ESC/ESP/DSC, etc.)</u>	☐	☐	☐
<u>Tire pressure monitoring function</u>	☐ Tire pressure alarm	☐ Tire pressure alarm	☐ Tire pressure alarm
<u>Seat belt not fastened as a reminder</u>	☐ Front row	☐ Front row	☐ Front row
<u>ISOFIX child seat interface</u>	☐	☐	☐
<u>Lane departure warning system</u>	☐	☐	☐
<u>Active braking/active safety system</u>	☐	☐	☐
<u>Driver fatigue reminder</u>	☐	-	☐
<u>DOW door opening warning</u>	-	☐	-
<u>Forward collision warning</u>	☐	☐	☐
<u>Built-in dashcam</u>	-	☐	-
<u>Roadside assistance calls</u>	-	☐	-

Driving No standard or optional

<u>Driving mode switching</u>	☐ Exercise ☐ Economy ☐ Standard/Comfortable ☐ Customize/personalize	☐ Exercise ☐ Economy ☐ Standard/Comfortable	☐ Exercise ☐ Economy ☐ Standard/Comfortable ☐ Customize/personalize
<u>Engine start-stop technology</u>	☐	☐	☐
<u>Energy recovery system</u>	☐	☐	☐
<u>Automatic parking</u>	☐	☐	☐
<u>Uphill assist</u>	-	☐	-
<u>Steep slopes descend gently</u>	-	-	-

Driving No standard or optional

<u>Front and rear parking sensors</u>	Before/after ☐ ☐	Before/after ☐ ☐	Before/after ☐ ☐
<u>Driver assistance cameras</u>	☐ Reversing camera ☐ 360-degree panoramic camera (2500 RMB)	☐ Reversing camera ☐ 360-degree panoramic camera (3000 RMB)	☐ Reversing camera ☐ 360-degree panoramic camera (2500 RMB)
	☐		☐

<u>Transparent chassis / 540-degree imaging</u>		-	
<u>Forward perception camera</u>	-	○ Monocular eyes	-
<u>Number of cameras</u>	-	○ 2 ○ 5	-
<u>The number of ultrasonic radars</u>	-	○ 8 ○ 12	-
<u>The number of millimeter-wave radars</u>	-	○ 5	-

Driving

No standard or optional

<u>Cruise system</u>	○ Full-speed adaptive cruise control	○ Full-speed adaptive cruise control	○ Full-speed adaptive cruise control
<u>Driver assistance system</u>	○ Travel Assist	○ Travel Assist	○ Travel Assist
<u>Driver assistance level</u>	○ L2	○ L2	○ L2
<u>Rear Vehicle Cross-Traffic Warning System</u>	-	○	-
<u>Satellite navigation systems</u>	○	○	○
<u>Navigation traffic information display</u>	○	○	○
<u>Map brand</u>	-	○ Four Corners Renewed	-
<u>AR real-scene navigation</u>	-	○	-
<u>Lane Alignment Assist</u>	-	○	-
<u>Lane keeping assist system</u>	○	○	○
<u>Lane centering</u>	○	-	○
<u>Road traffic sign recognition</u>	○	○	○
<u>Assisted parking available</u>	-	○	-
<u>Assist lane change</u>	-	-	-
<u>Steering wheel hands-off detection</u>	○	○	○

Appearance/anti-

No standard or

<u>Appearance kit</u>	○ Additional features	○ Sporty style	-
<u>Rim material</u>	○ Aluminum alloy	○ Aluminum alloy	○ Aluminum alloy
<u>Electric trunk</u>	○ (2000 yuan)	○ (2000 yuan)	○ (2000 yuan)
<u>Sensor-activated trunk</u>	-	○	-
<u>Electric trunk position memory</u>	○	○	○
<u>Roof luggage rack</u>	○	○	○
<u>Engine electronic anti-theft</u>	○	○	○
	○	○	○

<u>Central locking inside the car</u>			
<u>Key type</u>	☐ Remote key ☐ Bluetooth key (1200 RMB)	☐ Remote key	☐ Remote key ☐ Bluetooth key (1200 RMB)
<u>Keyless start system</u>	☐	☐	☐
<u>Keyless entry function</u>	☐ Front row	☐ Front row	☐ Front row
<u>Remote start function</u>	-	☐	-

Exterior No standard or optional

<u>Low beam light source</u>	☐ LED	☐ LED	☐ LED
<u>High beam light source</u>	☐ LED	☐ LED	☐ LED
<u>Lighting features</u>	-	☐ Matrix type	-
<u>LED daytime running lights</u>	☐	☐	☐
<u>Adaptive high and low beams</u>	-	☐	-
<u>Automatic headlights</u>	☐	☐	☐
<u>Turn assist lights</u>	-	☐	-
<u>Turn the headlights</u>	-	☐	-
<u>Front fog lights</u>	-	-	-
<u>Headlights in rain and fog mode</u>	☐	☐	☐
<u>Headlight height is adjustable</u>	☐	☐	☐
<u>Headlights are delayed to turn off</u>	☐	☐	☐
<u>Scene lantern language</u>	-	☐	-

Skylight/glass No standard or optional

<u>Sunroof type</u>	☐ Panoramic sunroof can be opened	☐ Panoramic sunroof can be opened	☐ Panoramic sunroof can be opened
<u>Front/rear power windows</u>	Before/after ☐ ☐	Before/after ☐ ☐	Before/after ☐ ☐
<u>One-touch window up/down function</u>	☐ The whole car	☐ The whole car	☐ The whole car
<u>Anti-pinch window function</u>	☐	☐	☐
<u>Rear side privacy glass</u>	☐	-	☐
<u>Makeup mirror inside the car</u>	☐ Main driver + headlights ☐ Co-passenger seat + headlights	☐ Main driver + headlights ☐ Co-passenger seat + headlights	☐ Main driver + headlights ☐ Co-passenger seat + headlights
<u>Rear wipers</u>	☐	☐	☐
<u>Sensor wiper function</u>	☐ Rainfall sensing type	☐ Rainfall sensing type	☐ Rainfall sensing type

Exterior rearview mirror No standard or optional features

<u>Exterior rearview mirror function</u>	○ Electric adjustment ○ Electric folding ○ Heated side mirrors ○ Automatic reverse tilt (800 RMB) ○ Automatic folding when locking the car	○ Electric adjustment ○ Electric folding (800 RMB) ○ Heated side mirrors ○ Reversing automatically tilts downward ○ Automatic folding when locking the car	○ Electric adjustment ○ Electric folding ○ Heated side mirrors ○ Automatic reverse tilt (800 RMB) ○ Automatic folding when locking the car
Connectivity/intelligence	No standard		
<u>Central color screen</u>	○ Touchscreen LCD	○ Touchscreen LCD	○ Touchscreen LCD
<u>Central control screen size</u>	features ○ 12 inches	○ 12.9 inches ○ 15 inches	○ 12 inches
<u>Central control screen resolution</u>	-	○ 2K	-
<u>Passenger entertainment screen size</u>	-	○ 11.6 inches	-
<u>Bluetooth/car phone</u>	○	○	○
<u>Mobile phone connectivity/mapping</u>	○ Supports CarPlay ○ Support CarLife	○ Supports CarPlay ○ Support CarLife ○ Supports HUAWEI HiCar	○ Supports CarPlay ○ Support CarLife
<u>Voice recognition control system</u>	○ Multimedia system ○ Navigation ○ Phone ○ Air conditioning	○ Multimedia system ○ Navigation ○ Phone ○ Air conditioning	○ Multimedia system ○ Navigation ○ Phone ○ Air conditioning
<u>Voice assistant wake-up words</u>	-	○ Hello, Volkswagen	-
<u>Voice-free wake-up words</u>	-	○	-
<u>Voice-based regional wake-up recognition</u>	-	○ Dual zones	-
<u>Continuous voice recognition</u>	-	○	-
<u>What you see is speaks volumes</u>	-	○	-
<u>App store</u>	-	○	-
<u>In-vehicle intelligent systems</u>	○ IQ. Connectivity	○ IQ. Connectivity	○ IQ. Connectivity
<u>Intelligent car chip</u>	-	-	-
<u>In-car system memory (GB)</u>	-	-	-
<u>In-car system storage (GB)</u>	-	-	-
<u>Connected vehicles</u>	○	○	○
<u>4G/5G networks</u>	○ 4G	○ 5G	○ 4G
<u>OTA upgrade</u>	-	○	-
<u>Wi-Fi hotspot</u>	○	○	○
<u>V2X communication</u>	-	○	-

<u>Remote functionality via mobile app</u>	○	○ Door control ○ Vehicle starts ○ Vehicle condition inquiry/diagnosis ○ Vehicle Location/Finding ○ Car owner services (locating charging stations, gas stations, parking lots, etc.) ○ Schedule maintenance/repair	○
--	---	---	---

Steering wheel/interior

No standard

<u>Steering wheel material</u>	○ or optional ○ Cortex	○ Cortex	○ Cortex
<u>Steering wheel position adjustment</u>	Manual up/down + ○ forward/backward adjustment	Manual up/down + ○ forward/backward adjustment	Manual up/down + ○ forward/backward adjustment
<u>Gear shifting type</u>	○ Mechanical gear lever shifting	○ Rotary electronic column shifter	○ Mechanical gear lever shifting
<u>Multifunction steering wheel</u>	○	○	○
<u>Heated steering wheel</u>	○ (500 NTD)	○	○ (500 NTD)
<u>Steering wheel memory</u>	-	-	-
<u>The trip computer displays the screen</u>	○ Color	○ Color	○ Color
<u>Full LCD instrument panel</u>	○	○	○
<u>LCD instrument panel size</u>	○ 10.25 inches	○ 10.25 inches	○ 10.25 inches
<u>HUD head-up digital display</u>	-	○ (4000 NTD)	-
<u>Interior rearview mirror function</u>	○ Manual anti-glare	○ Automatic anti-glare	○ Manual anti-glare
<u>ETC device</u>	○ (500 NTD)	-	○ (500 NTD)

Charging inside

No standard or

<u>Multimedia/charging interface</u>	○ optional USB ○ Type-C	○ Type-C	○ USB ○ Type-C
<u>The number of USB/Type-C ports</u>	○ 3 in the front row / ○ 2 in the back	○ 2 in the front row / ○ 2 in the back row	○ 3 in the front row / ○ 2 in the back
<u>Wireless phone charging function</u>	-	○ Front row	-
<u>Wireless phone charging power</u>	-	○ 40W	-

Seating

No standard or

<u>Seat material</u>	○ optional faux leather	○ Faux leather	○ Faux leather
<u>Main seat adjustment method</u>	○ Front and back adjustment ○ Backrest adjustment ○ Height adjustment (2-way)	○ Front and back adjustment ○ Backrest adjustment ○ Height adjustment (2-way)	○ Front and back adjustment ○ Backrest adjustment ○ Height adjustment (2-way)

	☐ Lumbar support (2 directions)	☐ Lumbar support (2 directions)	☐ Lumbar support (2 directions)
<u>Passenger seat adjustment method</u>	☐ Front and back adjustment ☐ Backrest adjustment ☐ Height adjustment (2-way)	☐ Front and back adjustment ☐ Backrest adjustment ☐ Height adjustment (2-way)	☐ Front and back adjustment ☐ Backrest adjustment ☐ Height adjustment (2-way)
<u>Electric adjustment for driver/front passenger seats</u>	Main/Deputy (2000 RMB) ☐ ☐	Main/Deputy (1000 RMB) ☐ ☐	Main/Deputy (2000 RMB) ☐ ☐
<u>Front seat function</u>	☐ Heating (1500 RMB) ☐ Ventilation (3000 RMB)	☐ Heating ☐ Ventilation (3000 RMB)	☐ Heating (1500 RMB) ☐ Ventilation (3000 RMB)
<u>Electric seat memory function</u>	-	-	-
<u>The rear passenger seat has adjustable buttons</u>	-	-	-
<u>Second-row seat adjustment</u>	☐ Backrest adjustment	☐ Backrest adjustment	☐ Backrest adjustment
<u>The rear seats are folded down</u>	☐ Proportion collapsed	☐ Proportion collapsed	☐ Proportion collapsed
<u>Front/rear center armrest</u>	Before / After - ☐	Before/after ☐ ☐	Before / After - ☐
<u>Rear cup holders</u>	-	☐	-

Audio/interior No standard or

<u>Speaker brand name</u>	☐ Additional features	-	-
<u>Number of speakers</u>	☐ 6. Speakers	☐ 6. Speakers	☐ 6. Speakers
<u>Touch-type reading light</u>	-	☐	-
<u>Ambient lighting inside the car</u>	-	☐ 30 colors	-

Air No standard

<u>Air conditioning temperature control method</u>	☐ or optional ☐ Automatic air conditioning features	☐ Automatic air conditioning	☐ Automatic air conditioning
<u>Rear seats have independent air conditioning</u>	☐	☐ (1500 NTD)	☐
<u>Rear seat air vents</u>	☐	☐	☐
<u>Temperature zone control</u>	☐	☐	☐
<u>Car air purifier</u>	-	☐	-
<u>Interior PM2.5 filtration device</u>	☐	☐	☐
<u>Air quality monitoring</u>	-	☐	-

Color

There are a total of 3 models ☐ Highlight different parameters ☐ Hide the same	☒ Nailed to the left side × Tayron 2026 facelifted 30 million units, select version 300TSI	☐ <u>manganese stone is</u> ☒ Nailed to the left side × Tayron 2026 Tayron L 300TSI two-wheel drive elite	☒ Nailed to the left side × Tayron 2026 facelifted 30 million units, select 330TSI
---	---	--	---

Search for par...

- Basic parameters
- Body
- Engine
- Transmission
- Chassis steering
- Wheel brakes
- Passive safety
- Proactive safety

Proactive Safety	parameters	<-Contras>	<-Contras>	<-Contras>
Driving control				
Driving hardware	Manufacturer's suggested retail price	188,800 yuan < Calculator	207,800 < Calculator	208,800 yuan < Calculator
Driving functions	Dealer quotations	Starting from 131,900 about the lowest yuan	Starting from 152,900 about the lowest yuan	Starting from 144,900 about the lowest yuan
Appearance/anti-theft				
Exterior lights				
Skylight/glass	Interior color	☐ Black/gray	☐ Black/gray	☐ Black/gray
Exterior rearview mirror	Optional	No standard or optional		
Connectivity/intelligent				
Steering wheel/interface	Winter pack	-	Includes: heated steering wheel and front seat heating Optional (2000 RMB)	-
Charging inside the car				
Seating configuration	Smart Vision Package	-	Includes: navigation infotainment system: 15-inch touch intelligent 2K floating screen, front passenger audio and entertainment system: 11.6-inch touch LCD screen Optional (3000 RMB)	-
Audio/interior lighting				
Air conditioning/refrigerator	Zhitong matrix package	-	Includes: IQ.Light LED dual-lens matrix headlights, front headlight high beam assist, Matrix intelligent dynamic lighting control, and dynamic headlight cornering lighting Optional (4500 RMB)	-
Color				
Optional package	Zhijing parking bag	-	-	-