

Search for par...

Current Location: Choosing a vehicle > The public > Note: The following parameter and configuration information are for reference only. Actual

Baolai > Parameter configuration specifications are subject to the vehicles sold in the store

Basic parameters

Body

Engine

Transmission

Chassis steering

Wheel brakes

Passive safety

Proactive safety

Driving control

Driving hardware

Driving functions

Appearance/anti-theft

Exterior lights

Skylight/glass

Exterior rearview mirror

Connectivity/intelligent

Steering wheel/interior

Charging inside the car

Seating configuration

Audio/interior lighting

Air conditioning/refrigeration

Color

Year mark ☐ All are for sale ☐ 2026 model | Discontinued ▾ Displacement ☐ 1.2T ☐ 1.4T ☐ 1.5T

Transmission ☐ Manual ☐ Dry dual-clutch

There are a total of 2 models ☐ Highlight different parameters ☐ Hide the same parameters	✂ Nailed to the left side ✕	✂ Nailed to the left side ✕
	Bora 2026 200TSI Manual Smooth Edition	Bora 2026 300TSI DSG Prestige Edition
	< -Contras >	< -Contras >
Manufacturer's suggested retail price (RMB)	82,900 yuan % Calculator	113,900 yuan % Calculator
Dealer quotations	Starting from 66,600 yuan about the lowest	Starting from 97,600 yuan about the lowest

Basic parameters		
Manufacturer	FAW-Volkswagen	FAW-Volkswagen
Level	Compact cars	Compact cars
Types of energy	Gasoline	Gasoline
Environmental standards	Country VI	Country VI
Launch date	2025-11-03	2025-11-03
Maximum Power (kW)	85	118
Maximum torque (N·m)	200	250
Transmission	5-speed manual	7-speed dry dual-clutch
Body structure	A 4-door, 5-seat sedan	A 4-door, 5-seat sedan
Engine	1.2T 116-horsepower L4	1.5T 160-horsepower L4
Length * Width * Height (mm)	4672*1815*1478	4672*1815*1478
Official 0-100 km/h acceleration (s)	10.9	8.7
Top speed (km/h)	200	200
WLTC combined fuel consumption (L/100km)	5.76	5.44
Full vehicle warranty	○ Three years or 100,000 kilometers	○ Three years or 100,000 kilometers
Curb Weight (kg)	1253	1344
Maximum full load (kg)	1720	1810

Body		
Length (mm)	4672	4672



<u>Wheelbase (mm)</u>	2688	2688
<u>Front track width (mm)</u>	1546	1546
<u>Rear track (mm)</u>	1520	1520
<u>Angle of approach (°)</u>	16	16
<u>Departure angle (°)</u>	14	14
<u>Minimum turning radius (m)</u>	5.4	5.35
<u>Body structure</u>	Three-compartment carriage	Three-compartment carriage
<u>Door opening method</u>	The door opened flat	The door opened flat
<u>Number of Doors</u>	○ 4	○ 4
<u>Number of seats</u>	○ 5	○ 5
<u>Fuel tank capacity (L)</u>	50	50
<u>Trunk Volume (L)</u>	506	506
<u>Drag coefficient (Cd)</u>	-	-

Engine

<u>Engine model</u>	DLC	DSV
<u>Displacement (mL)</u>	1197	1498
<u>Displacement (L)</u>	1.2	1.5
<u>Intake type</u>	Turbocharging	Turbocharging
<u>Engine layout</u>	Placed horizontally	Placed horizontally
<u>Cylinder arrangement type</u>	L	L
<u>Number of cylinders (units)</u>	4	4
<u>Number of valves per cylinder (units)</u>	4	4
<u>Valve mechanism</u>	DOHC	DOHC
<u>Maximum horsepower (Ps)</u>	116	160
<u>Maximum Power (kW)</u>	85	118
<u>Maximum Power Speed (rpm)</u>	5000	5500
<u>Maximum torque (N·m)</u>	200	250
<u>Maximum torque speed (rpm)</u>	2000-3500	1750-4000
<u>Maximum Net Power (kW)</u>	85	118
<u>Engine-specific technology</u>	-	The Miller cycle
<u>Types of energy</u>	Gasoline	Gasoline
<u>Fuel grade</u>	No. 95	No. 95



<u>Cylinder head materials</u>	Aluminum alloy	Aluminum alloy
<u>Cylinder body materials</u>	Aluminum alloy	Aluminum alloy
<u>Environmental standards</u>	Country VI	Country VI

Transmission

<u>Abbreviation</u>	5-speed manual	7-speed dry dual-clutch
<u>Number of gears</u>	5	7
<u>Transmission type</u>	manual transmission (MT)	Dry Dual-Clutch Transmission (DCT)

Chassis steering

<u>Drive method</u>	☐ with the vanguard positioned ahead	☐ with the vanguard positioned ahead
<u>Front suspension type</u>	MacPherson ☐ independent suspension	MacPherson ☐ independent suspension
<u>Rear suspension type</u>	Longitudinal towed arm non-independent suspension ☐	Longitudinal towed arm non-independent suspension ☐
<u>Types of assists</u>	☐ Electric power assist	☐ Electric power assist
<u>Body structure</u>	Load-bearing type	Load-bearing type

Wheel brakes

<u>Front brake type</u>	☐ Disc type	☐ Disc type
<u>Rear brake type</u>	☐ Disc type	☐ Disc type
<u>Types of parking brakes</u>	☐ Electronic parking lot	☐ Electronic parking lot
<u>Front tire specifications</u>	☐ 195/65 R15	☐ 225/45 R17
<u>Rear tire specifications</u>	☐ 195/65 R15	☐ 225/45 R17
<u>Spare tire specifications</u>	☐ Non-full-size (200 NTD)	☐ Non-full-size (200 NTD)
<u>Spare tire placement method</u>	☐ Inside the trunk	☐ Inside the trunk

Passive ☐ No standard or optional ☐

<u>Driver/passenger airbags</u>	Principal/Deputy ☐ ☐	Principal/Deputy ☐ ☐
<u>Front/rear side airbags</u>	Before / After - ☐	Before / After - ☐
<u>Front/Rear Head Airbags (Curtain Airbags)</u>	Before/after ☐ ☐	Before/after ☐ ☐

Proactive ☐ No standard or optional ☐

<u>ABS anti-lock lock</u>	s ☐	☐
<u>Braking force distribution (EBD/CBC)</u>	☐	☐



<u>Traction control</u> (ASR/TCS/TRC, etc.)	☐	☐
<u>Stability control</u> (ESC/ESP/DSC, etc.)	☐	☐
<u>Tire pressure monitoring function</u>	☐ Tire pressure alarm	☐ Tire pressure alarm
<u>Seat belt not fastened as a reminder</u>	☐ Front row	☐ Front row
<u>ISOFIX child seat interface</u>	☐	☐
<u>Lane departure warning system</u>	-	☐
<u>Active braking/active safety system</u>	-	☐
<u>Driver fatigue reminder</u>	-	-
<u>Forward collision warning</u>	-	☐

Driving No standard or optional

<u>Driving mode switching</u>	-	☐ Exercise ☐ Economy ☐ Standard/Comfortable ☐ Customize/personalize
<u>Engine start-stop technology</u>	☐	☐
<u>Energy recovery system</u>	☐	☐
<u>Automatic parking</u>	☐	☐
<u>Uphill assist</u>	☐	☐

Driving No standard or optional

<u>Front and rear parking sensors</u>	☐ Before-/after	☐ Before/after ☐
<u>Driver assistance cameras</u>	☐ Reversing camera	☐ Reversing camera
<u>Forward perception camera</u>	-	☐ Monocular eyes
<u>Number of cameras</u>	☐ 1	☐ 2
<u>The number of ultrasonic radars</u>	☐ 4	☐ 8

Driving No standard or optional

<u>Cruise system</u>	☐ Cruise control	☐ Cruise control
<u>Rear Vehicle Cross-Traffic Warning System</u>	-	☐
<u>Satellite navigation systems</u>	-	☐
<u>Navigation traffic information display</u>	-	☐



<u>system</u>		~
<u>Assisted parking available</u>	-	-

Appearance/anti- No standard or

<u>Rim material</u>	Optional features ☐ Alloy ☐ Aluminum alloy	☐ Aluminum alloy
<u>Engine electronic anti-theft</u>	☐	☐
<u>Central locking inside the car</u>	☐	☐
<u>Key type</u>	☐ Remote key	☐ Remote key
<u>Keyless start system</u>	-	☐
<u>Keyless entry function</u>	-	☐ Front row

Exterior No standard or optional

<u>Low beam light source</u>	☐ LED ☐	☐ LED
<u>High beam light source</u>	☐ LED	☐ LED
<u>LED daytime running lights</u>	☐	☐
<u>Adaptive high and low beams</u>	-	-
<u>Automatic headlights</u>	☐	☐
<u>Turn assist lights</u>	-	☐
<u>Front fog lights</u>	-	☐ LED
<u>Headlight height is adjustable</u>	☐	☐
<u>Headlights are delayed to turn off</u>	☐	☐

Skylight/glass No standard or optional

<u>Sunroof type</u>	Optional features ☐ Electric sunroof (3000 RMB)	☐ Electric sunroof
<u>Front/rear power windows</u>	Before/after ☐ ☐	Before/after ☐ ☐
<u>One-touch window up/down function</u>	☐ The whole car	☐ The whole car
<u>Anti-pinch window function</u>	☐	☐
<u>Makeup mirror inside the car</u>	☐ The main charioteer stands in the seat ☐ Front passenger seat	☐ The main charioteer stands in the seat ☐ Front passenger seat
<u>Rear wipers</u>	-	-
<u>Sensor wiper function</u>	-	☐ Rainfall sensing type

Exterior rearview No standard or

<u>Exterior rearview mirror function</u>	Optional features ☐ Electric adjustment ☐ Heated side mirrors	☐ Electric adjustment ☐ Heated side mirrors
--	--	--



Beijing ▾ Today, travel Summary | The Haishi ...

Publish works Download the app Mini prog

<u>Central control screen size</u>	features ○ 8 inches	○ 12 inches
<u>Bluetooth/car phone</u>	○	○
<u>Mobile phone connectivity/mapping</u>	○ Supports CarPlay ○ Factory interconnection/mapping	○ Supports CarPlay ○ Support CarLife
<u>Voice recognition control system</u>	-	○ Multimedia system ○ Navigation ○ Phone
<u>Voice-based regional wake-up recognition</u>	-	○ Single area
<u>Connected vehicles</u>	○	○
<u>4G/5G networks</u>	○ 4G	○ 4G
<u>OTA upgrade</u>	-	-
<u>Remote functionality via mobile app</u>	○	○

Steering wheel/interior No standard

<u>Steering wheel material</u>	○ or optional ○ Cortex	○ - ○ Cortex
<u>Steering wheel position adjustment</u>	features Manual up/down + ○ forward/backward adjustment	Manual up/down + ○ forward/backward adjustment
<u>Gear shifting type</u>	○ Mechanical gear lever shifting	○ Mechanical gear lever shifting
<u>Multifunction steering wheel</u>	○	○
<u>Heated steering wheel</u>	-	-
<u>Steering wheel memory</u>	-	-
<u>The trip computer displays the screen</u>	○ Color	○ Color
<u>Full LCD instrument panel</u>	-	○
<u>LCD instrument panel size</u>	○ 8 inches	○ 10.25 inches
<u>Interior rearview mirror function</u>	○ Manual anti-glare	○ Manual anti-glare
<u>ETC device</u>	○ (500 NTD)	○ (500 NTD)

Charging inside No standard or

<u>Multimedia/charging interface</u>	optional features ○ USB	○ USB ○ Type-C
<u>The number of USB/Type-C ports</u>	○ 2 in the front row / ○ 2 in the back row	○ 3 in the front row / ○ 2 in the back
<u>Wireless phone charging function</u>	-	○ Front row



<u>Main seat adjustment method</u>	☐ Front and back adjustment ☐ Backrest adjustment ☐ Height adjustment (2-way)	☐ Front and back adjustment ☐ Backrest adjustment ☐ Height adjustment (2-way)
<u>Passenger seat adjustment method</u>	☐ Front and back adjustment ☐ Backrest adjustment	☐ Front and back adjustment ☐ Backrest adjustment
<u>Electric adjustment for driver/front passenger seats</u>	-	Main / Deputy - ☐
<u>Front seat function</u>	-	☐ Heating (1000 RMB)
<u>Electric seat memory function</u>	-	-
<u>The rear passenger seat has adjustable buttons</u>	-	-
<u>Second-row seat adjustment</u>	-	-
<u>The rear seats are folded down</u>	☐ Proportion collapsed	☐ Proportion collapsed
<u>Front/rear center armrest</u>	Before / After - ☐	Before/after ☐ ☐
<u>Rear cup holders</u>	-	☐

Audio/interior ^ No standard or ○ -

<u>Speaker brand name</u>	ional features	-
<u>Number of speakers</u>	☐ 4. Speakers	☐ 4. Speakers
<u>Ambient lighting inside the car</u>	-	-

Air ^ No standard

<u>Air conditioning temperature control method</u>	☐ or optional Manual air conditioning features ☐	☐ Automatic air conditioning
<u>Rear seats have independent air conditioning</u>	-	-
<u>Rear seat air vents</u>	-	☐
<u>Temperature zone control</u>	-	☐
<u>Car air purifier</u>	-	☐
<u>Interior PM2.5 filtration device</u>	☐	☐
<u>Air quality monitoring</u>	-	☐

Color

Appearance color	☐ Polar white ☐ manganese stone is black ☐ Haibei Jin	☐ Haibei Jin ☐ Polar white ☐ manganese stone is black
------------------	--	--



