

Search for par...

Current Location: Choosing a vehicle > Note: The following parameter and configuration information are for reference only. Actual specifications are subject to the vehicles sold in the store

The swift path is like mountains and seas > Jetour Shanhai T1 >

Parameter configuration

- Basic parameters
- Body
- Engine
- Electric motors
- Battery/Charging
- Transmission
- Chassis steering
- Wheel brakes
- Passive safety
- Proactive safety
- Driving control
- Four-wheel drive / c
- Driving hardware
- Driving functions
- Appearance/anti-theft
- Exterior lights
- Skylight/glass
- Exterior rearview mi
- Connectivity/intellig
- Steering wheel/inter
- Charging inside the
- Seating configuratic
- Audio/interior lighti
- Air conditioning/ref
- Color
- Optional package

Year mark ☒ All are for sale ☐ 2026 model ☐ 2025 model ☐ 2024 model

Drive type ☐ Vanguard ☐ Four-wheel drive

There are a total of 2 models

☐ Highlight different parameters

☐ Hide the same parameters

✂ Nailed to the left side ✕

✂ Nailed to the left side ✕

Jetour Shanhai T1 2025 100km Advanced

Jetour Shanhai T1 2025 model 226km crossing

< -Contras >

< -Contras >

Manufacturer's suggested retail price (RMB)

134,900 yuan % Calculator

164,900 yuan % Calculator

Dealer quotations

Starting from 124,900 yuan about the lowest

Starting from 154,900 yuan about the lowest

Basic parameters		
Manufacturer	Chery Automobile	Chery Automobile
Level	Compact SUV	Compact SUV
Types of energy	Plug-in hybrid powertrain	Plug-in hybrid powertrain
Environmental standards	Country VI	Country VI
Launch date	2025-05-26	2025-05-26
WLTC pure electric range (km)	76	175
CLTC pure electric driving range (km)	100	226
Battery fast charging time (hours)	0.5	0.62
Battery slow charging time (hours)	4	6
Battery fast charging capacity range (%)	30-80	30-80
Battery slow charging capacity range (%)	30-100	30-100
Maximum Power (kW)	265	265
Maximum torque (N·m)	530	530
Transmission	1st level DHT	1st level DHT
Body structure	A 5-door, 5-seat SUV	A 5-door, 5-seat SUV
Engine	1.5T 156 hp L4	1.5T 156 hp L4
Electric Motor (Ps)	204	204
Length * Width * Height (mm)	4706*1967*1845	4706*1967*1845



<u>Top speed (km/h)</u>	100	100
<u>WLTC combined fuel consumption (L/100km)</u>	-	0.81
<u>Minimum fuel consumption in a charged state (L/100km) WLTC</u>	5.86	5.92
Combined fuel consumption for fuel and electricity (L/100km)	-	3.32
<u>Full vehicle warranty</u>	○ Four years or 100,000 kilometers	○ Four years or 100,000 kilometers
<u>First owner warranty policy</u>	Lifetime warranty / non-operational ○ (liability waiver clauses subject to official regulations)	Lifetime warranty / non-operational ○ (liability waiver clauses subject to official regulations)
<u>Curb Weight (kg)</u>	-	2070
<u>Maximum full load (kg)</u>	-	2445
<u>Quasi-trailer gross weight (kg)</u>	-	1600

Body

<u>Length (mm)</u>	4706	4706
<u>Width (mm)</u>	1967	1967
<u>Height (mm)</u>	1845	1845
<u>Wheelbase (mm)</u>	2810	2810
<u>Front track width (mm)</u>	1690	1690
<u>Rear track (mm)</u>	1700	1700
<u>Minimum No-load Ground Clearance (mm)</u>	200	190
<u>Angle of approach (°)</u>	28	28
<u>Departure angle (°)</u>	29	29
<u>Longitudinal Passing Angle (°)</u>	19	19
<u>Maximum wading depth (mm)</u>	600	600
<u>Body structure</u>	SUV	SUV
<u>Door opening method</u>	The door opened flat	The door opened flat
<u>Number of Doors</u>	○ 5	○ 5
<u>Number of seats</u>	○ 5	○ 5
<u>Fuel tank capacity (L)</u>	70	70
<u>Trunk Volume (L)</u>	-	-
<u>Drag coefficient (Cd)</u>	-	-

Engine



<u>Displacement (L)</u>	1.5	1.5
<u>Intake type</u>	Turbocharging	Turbocharging
<u>Engine layout</u>	Placed horizontally	Placed horizontally
<u>Cylinder arrangement type</u>	L	L
<u>Number of cylinders (units)</u>	4	4
<u>Number of valves per cylinder (units)</u>	4	4
<u>Valve mechanism</u>	DOHC	DOHC
<u>Maximum horsepower (Ps)</u>	156	156
<u>Maximum Power (kW)</u>	115	115
<u>Maximum Power Speed (rpm)</u>	5200	5200
<u>Maximum torque (N·m)</u>	220	220
<u>Maximum torque speed (rpm)</u>	2500	2500
<u>Maximum Net Power (kW)</u>	105	105
<u>Types of energy</u>	Plug-in hybrid powertrain	Plug-in hybrid powertrain
<u>Fuel grade</u>	No. 92	No. 92
<u>Fuel supply method</u>	Direct injection	Direct injection
<u>Cylinder head materials</u>	Aluminum alloy	Aluminum alloy
<u>Cylinder body materials</u>	Aluminum alloy	Aluminum alloy
<u>Environmental standards</u>	Country VI	Country VI

Electric motors

<u>Front motor model</u>	KPTZ220YMDA0	KPTZ220YMDA0
<u>Rear motor model</u>	-	-
<u>Motor type</u>	Permanent magnet/synchronous	Permanent magnet/synchronous
<u>Total motor power (kW)</u>	150	150
<u>Total motor power (Ps)</u>	204	204
<u>Total motor torque (N·m)</u>	310	310
<u>Front motor maximum power (kW)</u>	150	150
<u>Front Motor Maximum Torque (N·m)</u>	310	310



Beijing ▾

Clear

Summary | The Haishi ...

Publish works

Download the app

Mini prog

<u>Maximum torque of the rear motor (N·m)</u>	-	-
<u>System Combined Power (kW)</u>	265	265
<u>System Combined Power (Ps)</u>	360	360
<u>System Combined Torque (N·m)</u>	530	530
<u>Number of drive motors</u>	Single motor	Single motor
<u>Motor layout</u>	Pre-position	Pre-position
<u>Sandian's first owner warranty policy</u>	Lifetime warranty / non-operational ○ (liability waiver clauses subject to official regulations)	Lifetime warranty / non-operational ○ (liability waiver clauses subject to official regulations)
Battery/Charging		
<u>Battery type</u>	○ Lithium iron phosphate batteries	○ Lithium iron phosphate batteries
<u>Battery cell brand</u>	○ Guoxuan Gaokke	○ CATL
<u>Battery cooling method</u>	Liquid cooling	Liquid cooling
<u>WLTC pure electric range (km)</u>	76	175
<u>CLTC pure electric driving range (km)</u>	100	226
<u>Battery Energy (kWh)</u>	18.3	43.2
<u>Power consumption per 100 km (kWh/100km)</u>	-	21.6
<u>Fast charging function</u>	Support	Support
<u>Fast Charging Power (kW)</u>	41	41
<u>Battery fast charging time (hours)</u>	0.5	0.62
<u>Battery fast charging capacity range (%)</u>	30-80	30-80
<u>Battery slow charging time (hours)</u>	4	6
<u>Battery slow charging capacity range (%)</u>	30-100	30-100
<u>Slow charging port location</u>	Right and rear side of the carriage	Right and rear side of the carriage
<u>Fast charging port location</u>	Right and rear side of the carriage	Right and rear side of the carriage
<u>External AC Discharge Power (kW)</u>	6.6	6.6
Transmission		
<u>Abbreviation</u>	1st level DHT	1st level DHT



Beijing

Clear

Summary | The Haishi ...

Publish works

Download the app

Mini prog

transmission type	transmission for Hybrid Power (DHT)	transmission for Hybrid Power (DHT)
Chassis steering		
Drive method	☐ with the vanguard positioned ahead	☐ with the vanguard positioned ahead
Four-wheel drive configuration	-	-
Front suspension type	MacPherson ☐ independent suspension	MacPherson ☐ independent suspension
Rear suspension type	Multi-link ☐ independent suspension	Multi-link ☐ independent suspension
Types of assists	☐ Electric power assist	☐ Electric power assist
Body structure	Load-bearing type	Load-bearing type
Wheel brakes		
Front brake type	☐ Ventilated disc type	☐ Ventilated disc type
Rear brake type	☐ Disc type	☐ Disc type
Types of parking brakes	☐ Electronic parking lot	☐ Electronic parking lot
Front tire specifications	☐ 235/65 R18	☐ 235/60 R19
Rear tire specifications	☐ 235/65 R18	☐ 235/60 R19
Spare tire specifications	-	-
Passive No standard or optional		
Driver/passenger airbags	Principal/Deputy ☐ ☐	Principal/Deputy ☐ ☐
Front/rear side airbags	Before / After - ☐	Before / After - ☐
Front/Rear Head Airbags (Curtain Airbags)	Before/after ☐ ☐	Before/after ☐ ☐
Proactive No standard or optional		
ABS anti-lock lock	☐ ☐	☐
Braking force distribution (EBD/CBC, etc.)	☐	☐
Brake Assist (EBA/BAS/BA, etc.)	☐	☐



Beijing

Clear

Summary | The Haishi ...

Publish works

Download the app

Mini prog

<u>Lane departure warning system</u>	-	☐
<u>Active braking/active safety system</u>	-	☐
<u>Driver fatigue reminder</u>	-	-
<u>DOW door opening warning</u>	-	-
<u>Forward collision warning</u>	-	☐
<u>Rear collision warning</u>	-	-
<u>Low-speed driving warning</u>	☐	☐
<u>Built-in dashcam</u>	-	-
<u>Roadside assistance calls</u>	☐	☐
<u>Anti-rollover system</u>	☐	☐

Driving

No standard or optional

<u>Driving mode switching</u>	☐ Exercise ☐ Economy ☐ Standard/Comfortable ☐ Snowfield	☐ Exercise ☐ Economy ☐ Standard/Comfortable ☐ Snowfield
<u>Energy recovery system</u>	☐	☐
<u>Automatic parking</u>	☐	☐
<u>Uphill assist</u>	☐	☐
<u>Steep slopes descend gently</u>	☐	☐

Four-wheel drive /

No standard or optional features

<u>Central differential locking function</u>	-	-
<u>Limited-slip differential/differential lock</u>	-	-
<u>Wading sensing system</u>	-	-
<u>Creep mode</u>	-	-
<u>Drag hooks</u>	-	☐ Manual (3000 RMB)
<u>Trailer power outlet</u>	-	☐

Driving

No standard or optional

<u>Front and rear parking sensors</u>	Before-/after ☐	Before/after ☐ ☐
<u>Driver assistance cameras</u>	☐ 360-degree panoramic imaging	☐ 360-degree panoramic imaging
<u>Transparent chassis / 540-degree imaging</u>	☐	☐
	-	☐ Monocular eyes



Beijing

Clear

Summary | The Haishi ...

Publish works

Download the app

Mini prog

Number of cameras		
The number of ultrasonic radars	4	6
The number of millimeter-wave radars	-	-
Driving No standard or optional		
Cruise system	Cruise control	Full-speed adaptive cruise control
Driver assistance system	-	-
Driver assistance level	-	L2
Rear Vehicle Cross-Traffic Warning System	-	-
Satellite navigation systems		
Navigation traffic information display		
Map brand	Gaode	Gaode
Lane Alignment Assist	-	-
Lane keeping assist system	-	
Lane centering	-	
Road traffic sign recognition	-	
Assisted parking available	-	-
Remote parking control	-	-
Assist lane change	-	-
Auxiliary ramp automatically exits (or enters)	-	-
Traffic light recognition	-	-
Starting reminder	-	-
Assisted driving sections	-	-
Appearance/anti- No standard or optional features		
Rim material	Aluminum alloy	Aluminum alloy
Electric trunk	-	
Electric trunk position memory	-	
Roof luggage rack		
Engine electronic anti-theft		
Central locking inside the car		



Beijing

Clear

Summary

The Haishi ...

Publish works

Download the app

Mini prog

<u>Keyless start system</u>	☐	☐
<u>Keyless entry function</u>	☐ Driver's seat	☐ Driver's seat
<u>Remote start function</u>	☐	☐
<u>Side pedals</u>	☐ Fixed	☐ Fixed
<u>Battery preheating</u>	☐	☐
<u>External discharge</u>	☐	☐

Exterior

No standard or optional

<u>Low beam light source</u>	☐ LED	☐ LED
<u>High beam light source</u>	☐ LED	☐ LED
<u>Lighting features</u>	☐ Matrix type	☐ Matrix type
<u>LED daytime running lights</u>	☐	☐
<u>Adaptive high and low beams</u>	-	☐
<u>Automatic headlights</u>	-	☐
<u>Turn assist lights</u>	☐	☐
<u>Front fog lights</u>	☐ LED	☐ LED
<u>Headlight height is adjustable</u>	☐	☐
<u>Headlights are delayed to turn off</u>	☐	☐

Skylight/glass

No standard or optional

<u>Sunroof type</u>	-	☐ Panoramic sunroof can be opened
<u>Front/rear power windows</u>	Before/after ☐ ☐	Before/after ☐ ☐
<u>One-touch window up/down function</u>	☐ The whole car	☐ The whole car
<u>Anti-pinch window function</u>	☐	☐
<u>Multi-layer soundproof glass for side windows</u>	☐ Front row	☐ Front row
<u>Rear side privacy glass</u>	-	-
<u>Makeup mirror inside the car</u>	☐ The main charioteer stands in the seat ☐ Front passenger seat	☐ The main charioteer stands in the seat ☐ Front passenger seat
<u>Rear wipers</u>	☐	☐
<u>Sensor wiper function</u>	-	☐ Rainfall sensing type

Exterior rearview

No standard or optional

<u>Exterior rearview mirror function</u>	☐ Electric adjustment ☐ Electric folding ☐ Heated side mirrors	☐ Electric adjustment ☐ Electric folding ☐ Heated side mirrors
--	--	--



Beijing ▾

Clear

Summary | The Haishi ...

Publish works

Download the app

Mini prog

Connectivity/intelligence

No standard

<u>Central color screen</u>	☐ Touchscreen LCD	☐ Touchscreen LCD
<u>Central control screen size</u>	features ☐ 15.6 inches	☐ 15.6 inches
<u>Central control screen type</u>	-	-
<u>Bluetooth/car phone</u>	☐	☐
<u>Mobile phone connectivity/mapping</u>	☐ Supports CarPlay ☐ Supports HUAWEI HiCar	☐ Supports CarPlay ☐ Supports HUAWEI HiCar
<u>Voice recognition control system</u>	☐ Multimedia system ☐ Navigation ☐ Phone ☐ Air conditioning ☐ Car window	☐ Multimedia system ☐ Navigation ☐ Phone ☐ Air conditioning ☐ Skylight ☐ Car window ☐ Seat heating ☐ Ventilated seats
<u>Voice assistant wake-up words</u>	☐ Hello, Xiao Jie	☐ Hello, Xiao Jie
<u>Voice-free wake-up words</u>	☐	☐
<u>Voice-based regional wake-up recognition</u>	☐ Four areas	☐ Four areas
<u>Continuous voice recognition</u>	☐	☐
<u>What you see is speaks volumes</u>	-	-
<u>App store</u>	☐	☐
<u>Intelligent car chip</u>	☐ Qualcomm Snapdragon 8155	☐ Qualcomm Snapdragon 8155
<u>Connected vehicles</u>	☐	☐
<u>4G/5G networks</u>	☐ 4G	☐ 4G
<u>OTA upgrade</u>	☐	☐
<u>Wi-Fi hotspot</u>	☐	☐
<u>Remote functionality via mobile app</u>	☐ Door control ☐ Window control ☐ Vehicle starts ☐ Charging management ☐ Air conditioning control ☐ Vehicle condition inquiry/diagnosis ☐ Vehicle Location/Finding ☐ Schedule maintenance/repair	☐ Door control ☐ Window control ☐ Vehicle starts ☐ Charging management ☐ Air conditioning control ☐ Vehicle condition inquiry/diagnosis ☐ Vehicle Location/Finding ☐ Schedule maintenance/repair
<u>In-car KTV</u>	-	-



<u>material</u>	☐ Screen	☐ Screen
<u>Steering wheel position adjustment</u>	features Manual up/down + ☐ forward/backward adjustment	Manual up/down + ☐ forward/backward adjustment
<u>Gear shifting type</u>	☐ Electronic gear lever shifting	☐ Electronic gear lever shifting
<u>Multifunction steering wheel</u>	☐	☐
<u>Heated steering wheel</u>	-	-
<u>Steering wheel memory</u>	-	-
<u>The trip computer displays the screen</u>	☐ Color	☐ Color
<u>Full LCD instrument panel</u>	☐	☐
<u>LCD instrument panel size</u>	☐ 10.25 inches	☐ 10.25 inches
<u>Interior rearview mirror function</u>	☐ Manual anti-glare	☐ Manual anti-glare

Charging inside No standard or

<u>Multimedia/charging interface</u>	☐ Additional USB ☐ Type-C	☐ USB ☐ Type-C
<u>The number of USB/Type-C ports</u>	☐ 2 in the front row / 2 in the back row	☐ 2 in the front row / 2 in the back row
<u>220V/230V power supply</u>	-	☐
<u>Wireless phone charging function</u>	☐ Front row	☐ Front row
<u>Wireless phone charging power</u>	☐ 50W	☐ 50W
<u>Luggage compartment 12V power outlet</u>	☐	☐

Seating No standard or

<u>Seat material</u>	☐ Additional features ☐ Faux leather	☐ Faux leather
<u>Main seat adjustment method</u>	☐ Front and back adjustment ☐ Backrest adjustment ☐ Height adjustment (2-way)	☐ Front and back adjustment ☐ Backrest adjustment ☐ Height adjustment (2-way)
<u>Passenger seat adjustment method</u>	☐ Front and back adjustment ☐ Backrest adjustment	☐ Front and back adjustment ☐ Backrest adjustment
<u>Electric adjustment for driver/front passenger seats</u>	Principal/Deputy ☐ ☐	Principal/Deputy ☐ ☐
<u>Front seat function</u>	-	☐ Heating ☐ Ventilation
<u>Electric seat memory function</u>	-	☐ Driver's seat ☐ Front passenger seat



<u>Second-row seat adjustment</u>	☐ Backrest adjustment	☐ Backrest adjustment
<u>The rear seats are folded down</u>	☐ Proportion collapsed	☐ Proportion collapsed
<u>Front/rear center armrest</u>	Before/after ☐ ☐	Before/after ☐ ☐
<u>Rear cup holders</u>	☐	☐

Audio/interior No standard or

<u>Speaker brand name</u>	Additional features ☐	☐ SONY
<u>Number of speakers</u>	☐ 8. Speakers	☐ 9. Horn
<u>Ambient lighting inside the car</u>	-	☐ Multicolored
<u>Active ambient lighting</u>	-	☐

Air No standard

<u>Air conditioning temperature control method</u>	☐ or optional Automatic air conditioning features ☐	☐ Automatic air conditioning
<u>Rear seats have independent air conditioning</u>	-	-
<u>Rear seat air vents</u>	☐	☐
<u>Temperature zone control</u>	☐	☐
<u>Car air purifier</u>	-	-
<u>Interior PM2.5 filtration device</u>	-	-
<u>Air quality monitoring</u>	☐	☐
<u>Car refrigerator</u>	-	-

Color

Appearance color	☐ Glaciers are white ☐ It was pitch black at night ☐ Road gray ¥ 3000 ☐ Snowy mountains are silver ☐ The green mountains ¥ 3000 are emerald ☐ Gilding sand	☐ <u>Glaciers are white</u> ☐ <u>Gilding sand</u> ☐ <u>It was pitch black at night</u> ☐ <u>The green mountains</u> ¥ 3000 <u>are emerald</u> ☐ <u>Snowy mountains are silver</u>
Interior color	☐ Black/gray ☐ Black/Orange ☐ Black/Green	☐ <u>Black/gray</u> ☐ <u>Black/Orange</u> ☐ <u>Black/Green</u>

Optional No standard or optional

Drag suit	es ☐	Includes: 1600kg trailer qualification, tow hook, power outlet
-----------	--------------------------	--



Beijing ▾

Clear

Summary | The Haishi ...

